



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᐭᓕᓂᓂᓪ ᑲᐅᐭᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

NWB File No: NWB3RES

February 12, 2003

Mr. Rick Doucet, SAO
Hamlet of Resolute Bay
Resolute Bay, NU X0A 0V0
Email: hamletrb@polarnet.com

Re: Application Acknowledgement and Requirement for Notice of the Application for the Hamlet of Resolute Bay

Dear Mr. Doucet:

The Nunavut Water Board acknowledges receipt on January 6, 2003 of your water licence application, filed on your behalf by Ferguson Simek Clark, for the Municipality of Resolute Bay. The application included the following items:

- notice (in English and Inuktitut)
- application form
- supplementary questionnaire
- executive summary in English and Inuktitut
- information pertaining to the application
- maps and drawings
- DIAND Inspection Reports
- Spill Reports
- Dillon Report 1999, Utilidor Upgrade
- Dillon Report 1999, Water System Building Assessment
- Dillon Report 1999, Sewage Treatment and Future Expansion

By copy of this letter to Ferguson Simek Clark we formally request the \$30.00 application fee in cheque form made payable to "Receiver General for Canada". This will complete the requirements of the application.

This project is exempt from screening by the Nunavut Planning Commission and by the Nunavut Impact Review Board due to its municipal status.

I have been asked by the Board to inform you that a notice of your application is required. This notice of requirement is based on Article 13.3.14 of the Nunavut Land Claims Agreement (NLCA), which states that the Board should take "...all steps necessary by way of notice...to provide and promote public awareness [of hearings]."

Accordingly, a notice in both English and Inuktitut will be posted for a period of 30 days, with local establishments in Resolute Bay.

Upon request from the public, we ask you to make available, free of charge, copies of all documents pertaining to this application. Any person who is affected by this application or concerned with it, may submit a letter of concern, which must be submitted to the Board within the period of time shown on the public notice.

Please call the undersigned at (867) 360-6338 or nwblic@polarnet.ca if you have any questions.

Sincerely,

Original signed by:

Phyllis Beaulieu
A/Licensing Administrator

Enclosures

cc. Paul Smith, DIAND
Colette Meloche, EC
Mike Fournier, EC
Gladys Joudrey, NIRB
Earle Baddaloo, DSD
Jordan DeGroot, DFO
Michelle MacLeod, FSC