



Fwd: Inspection Reports for Hamlet of Sanikiluaq (3BM-SAN1214)

Cory Zyla <cory.zyla@nwb-oen.ca>
To: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>
Cc: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Thu, Mar 27, 2014 at 1:57 PM

Hi Robin,

When time permits, please add the attached correspondence to 3BM-SAN1214 (Hamlet of Sanikiluaq) re: NWB's request for confirmation of inspection reports.

Thanks,



Cory Zyla- d4n 7Δc

Technical Advisor- Conseiller Technique
ᐱᐱᑦᓴᑦ ᑭᑦᓴᑦᓴᑦ ᐱᐱᑦᓴᑦ ᐱᐱᑦᓴᑦ ᐱᐱᑦᓴᑦ ᐱᐱᑦᓴᑦ

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
 ᓄᓇᑦ ᐃᓕ-ᓇᑦ ᑲᓂᓕᑦᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ပုံနှိပ်မှု, မေ ၁၆ ၂၀၁၆

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Cory Zyla** <cory.zyla@nwb-oen.ca>
Date: Mon, Mar 24, 2014 at 6:22 PM
Subject: Re: Inspection Reports for Hamlet of Sanikiluaq (3BM-SAN1214)
To: Erik Allain <Erik.Allain@aandc-aadnc.gc.ca>

Thanks Erik for the confirmation, much appreciated.

Regards,

Cory

On Mon, Mar 24, 2014 at 5:35 PM, Erik Allain <Erik.Allain@aandc-aadnc.gc.ca> wrote:

Hi Cory,

As far as I can tell from our filing system (I was not yet in Nunavut in 2011 or 2012), the most recent inspection report filed with the NWB for the Hamlet of Sanikiluaq would indeed be in 2011. None of my inspectors were in Sanikiluaq in 2013 either.

Erik

Regards,



Cory Zyla- ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ

Technical Advisor- Conseiller Technique

ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ- Pituaqnaqtuliginigmun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ 119
ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ X0B 1J0

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᑕᓄᓐᓂᓐ ᑕᓄᓐᓂᓐ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(du) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email