



ᓄᓇᓂᓐ ᐃᓕᓕᓂᓐ ᑲᓂᓕᓂᓐ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File: 3BM-SAN1520/ TR/ B1

October 12, 2017

Daryl Dibblee
SAO, Hamlet of Sanikiluaq
P.O. Box 157
Sanikiluaq, NU, X0A 0W0

Bhabesh Roy
GN-CGS
P.O. Box 379
Pond Inlet, NU, X0A 0S0

Email: sanisao@qiniq.com; broy@gov.nu.ca

Subject: Licence No. 3BM-SAN1520 – Review of 2015 and 2016 Annual Reports

Dear Mr. Dibblee and Mr. Roy:

The Nunavut Water Board (NWB or Board) has completed the review of the 2015 and 2016 Annual Reports (Reports) submitted by the Hamlet of Sanikiluaq in order to fulfill relevant requirements under Licence No. 3BM-SAN1520.

Copies of the Reports which were distributed to the public for information purposes are available at the NWB Public Registry using the following link:

[ftp://ftp.nwb-oen.ca/registry/3%20MUNICIPAL/3B/3BM%20-%20Municipality/3BM-SAN1520/3%20TECH/1%20GENERAL%20\(B\)/2%20ANNUAL%20RPT/](ftp://ftp.nwb-oen.ca/registry/3%20MUNICIPAL/3B/3BM%20-%20Municipality/3BM-SAN1520/3%20TECH/1%20GENERAL%20(B)/2%20ANNUAL%20RPT/)

The 2015 and 2016 Reports are consistent with the reporting requirements of the Licence 3BM-SAN1520. Yet, it should be noticed that the Reports did not include any information related to the monthly and yearly quantities of authorized Waste accepted at the Solid Waste Facilities, as required under *Part B, Item 1d* of the Water Licence.

Also, the Reports did not address monitoring of the Runoff at the Unauthorized Disposal Area (Monitoring Station No. SAN-5) and therefore they only partially satisfied the requirements of the Water Licence Monitoring Program.

Should you have any further questions, please feel free to contact the NWB's Licensing Department at 867-979-3079 or by email to licensing@nwb-oen.ca

Regards,
Sonia Aredes
Technical Advisor
Cc: Qikiqtani Distribution List