



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Hamlet of Taloyoak 2021 annual report for water licence 3BM-TAL1926

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Thu, Aug 25, 2022 at 9:42 AM

To: SAO <SAO@taloyoak.ca>, "Chalmers, Elan" <Echalmers@gov.nu.ca>

Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>

Good morning,

The Nunavut Water Board acknowledges receipt March 18, 2022 of Hamlet of Taloyoak 2021 annual report, attached, for water licence 3BM-TAL1926 which comprises:

- Appendix A: TAL-6 Effluent Quality Limits
- Appendix B: Laboratory Certificate of Analysis
 - Certificate of Analysis 07/15/2021
 - Certificate of Analysis 08/23/2021
- Appendix C: Hazardous Materials Spill Database, Taloyoak 2021
- Appendix D: Taloyoak 2021 Sampling Summary
- Appendix E : CIRNAC Inspection Report

This submission is distributed for information.

Regards,

Richard



Richard Dwyer - ㄹㄱㄷㅁㄴㅇㄹㄹㄹㄹ - he\him\his

Manager of Licensing- Responsable des permis

◀▷C9P CΔHC2σ^{9b}J^C Manivauvug Laisaliginiumun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓂᓪ ᐱᓕᓂᓪ ᑲᓂᓕᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

00596A4 119

▷¹▷²▷³▷⁴▷⁵▷⁶▷⁷▷⁸▷⁹▷¹⁰▷¹¹▷¹²▷¹³▷¹⁴▷¹⁵▷¹⁶▷¹⁷▷¹⁸▷¹⁹▷²⁰▷²¹▷²²▷²³▷²⁴▷²⁵▷²⁶▷²⁷▷²⁸▷²⁹▷³⁰▷³¹▷³²▷³³▷³⁴▷³⁵▷³⁶▷³⁷▷³⁸▷³⁹▷⁴⁰▷⁴¹▷⁴²▷⁴³▷⁴⁴▷⁴⁵▷⁴⁶▷⁴⁷▷⁴⁸▷⁴⁹▷⁵⁰▷⁵¹▷⁵²▷⁵³▷⁵⁴▷⁵⁵▷⁵⁶▷⁵⁷▷⁵⁸▷⁵⁹▷⁶⁰▷⁶¹▷⁶²▷⁶³▷⁶⁴▷⁶⁵▷⁶⁶▷⁶⁷▷⁶⁸▷⁶⁹▷⁷⁰▷⁷¹▷⁷²▷⁷³▷⁷⁴▷⁷⁵▷⁷⁶▷⁷⁷▷⁷⁸▷⁷⁹▷⁸⁰▷⁸¹▷⁸²▷⁸³▷⁸⁴▷⁸⁵▷⁸⁶▷⁸⁷▷⁸⁸▷⁸⁹▷⁹⁰▷⁹¹▷⁹²▷⁹³▷⁹⁴▷⁹⁵▷⁹⁶▷⁹⁷▷⁹⁸▷⁹⁹▷¹⁰⁰▷¹⁰¹▷¹⁰²▷¹⁰³▷¹⁰⁴▷¹⁰⁵▷¹⁰⁶▷¹⁰⁷▷¹⁰⁸▷¹⁰⁹▷¹¹⁰▷¹¹¹▷¹¹²▷¹¹³▷¹¹⁴▷¹¹⁵▷¹¹⁶▷¹¹⁷▷¹¹⁸▷¹¹⁹▷¹²⁰▷¹²¹▷¹²²▷¹²³▷¹²⁴▷¹²⁵▷¹²⁶▷¹²⁷▷¹²⁸▷¹²⁹▷¹³⁰▷¹³¹▷¹³²▷¹³³▷¹³⁴▷¹³⁵▷¹³⁶▷¹³⁷▷¹³⁸▷¹³⁹▷¹⁴⁰▷¹⁴¹▷¹⁴²▷¹⁴³▷¹⁴⁴▷¹⁴⁵▷¹⁴⁶▷¹⁴⁷▷¹⁴⁸▷¹⁴⁹▷¹⁵⁰▷¹⁵¹▷¹⁵²▷¹⁵³▷¹⁵⁴▷¹⁵⁵▷¹⁵⁶▷¹⁵⁷▷¹⁵⁸▷¹⁵⁹▷¹⁶⁰▷¹⁶¹▷¹⁶²▷¹⁶³▷¹⁶⁴▷¹⁶⁵▷¹⁶⁶▷¹⁶⁷▷¹⁶⁸▷¹⁶⁹▷¹⁷⁰▷¹⁷¹▷¹⁷²▷¹⁷³▷¹⁷⁴▷¹⁷⁵▷¹⁷⁶▷¹⁷⁷▷¹⁷⁸▷¹⁷⁹▷¹⁸⁰▷¹⁸¹▷¹⁸²▷¹⁸³▷¹⁸⁴▷¹⁸⁵▷¹⁸⁶▷¹⁸⁷▷¹⁸⁸▷¹⁸⁹▷¹⁹⁰▷¹⁹¹▷¹⁹²▷¹⁹³▷¹⁹⁴▷¹⁹⁵▷¹⁹⁶▷¹⁹⁷▷¹⁹⁸▷¹⁹⁹▷²⁰⁰▷²⁰¹▷²⁰²▷²⁰³▷²⁰⁴▷²⁰⁵▷²⁰⁶▷²⁰⁷▷²⁰⁸▷²⁰⁹▷²¹⁰▷²¹¹▷²¹²▷²¹³▷²¹⁴▷²¹⁵▷²¹⁶▷²¹⁷▷²¹⁸▷²¹⁹▷²²⁰▷²²¹▷²²²▷²²³▷²²⁴▷²²⁵▷²²⁶▷²²⁷▷²²⁸▷²²⁹▷²³⁰▷²³¹▷²³²▷²³³▷²³⁴▷²³⁵▷²³⁶▷²³⁷▷²³⁸▷²³⁹▷²⁴⁰▷²⁴¹▷²⁴²▷²⁴³▷²⁴⁴▷²⁴⁵▷²⁴⁶▷²⁴⁷▷²⁴⁸▷²⁴⁹▷²⁵⁰▷²⁵¹▷²⁵²▷²⁵³▷²⁵⁴▷²⁵⁵▷²⁵⁶▷²⁵⁷▷²⁵⁸▷²⁵⁹▷²⁶⁰▷²⁶¹▷²⁶²▷²⁶³▷²⁶⁴▷²⁶⁵▷²⁶⁶▷²⁶⁷▷²⁶⁸▷²⁶⁹▷²⁷⁰▷²⁷¹▷²⁷²▷²⁷³▷²⁷⁴▷²⁷⁵▷²⁷⁶▷²⁷⁷▷²⁷⁸▷²⁷⁹▷²⁸⁰▷²⁸¹▷²⁸²▷²⁸³▷²⁸⁴▷²⁸⁵▷²⁸⁶▷²⁸⁷▷²⁸⁸▷²⁸⁹▷²⁹⁰▷²⁹¹▷²⁹²▷²⁹³▷²⁹⁴▷²⁹⁵▷²⁹⁶▷²⁹⁷▷²⁹⁸▷²⁹⁹▷³⁰⁰▷³⁰¹▷³⁰²▷³⁰³▷³⁰⁴▷³⁰⁵▷³⁰⁶▷³⁰⁷▷³⁰⁸▷³⁰⁹▷³¹⁰▷³¹¹▷³¹²▷³¹³▷³¹⁴▷³¹⁵▷³¹⁶▷³¹⁷▷³¹⁸▷³¹⁹▷³²⁰▷³²¹▷³²²▷³²³▷³²⁴▷³²⁵▷³²⁶▷³²⁷▷³²⁸▷³²⁹▷³³⁰▷³³¹▷³³²▷³³³▷³³⁴▷³³⁵▷³³⁶▷³³⁷▷³³⁸▷³³⁹▷³⁴⁰▷³⁴¹▷³⁴²▷³⁴³▷³⁴⁴▷³⁴⁵▷³⁴⁶▷³⁴⁷▷³⁴⁸▷³⁴⁹▷³⁵⁰▷³⁵¹▷³⁵²▷³⁵³▷³⁵⁴▷³⁵⁵▷³⁵⁶▷³⁵⁷▷³⁵⁸▷³⁵⁹▷³⁶⁰▷³⁶¹▷³⁶²▷³⁶³▷³⁶⁴▷³⁶⁵▷³⁶⁶▷³⁶⁷▷³⁶⁸▷³⁶⁹▷³⁷⁰▷³⁷¹▷³⁷²▷³⁷³▷³⁷⁴▷³⁷⁵▷³⁷⁶▷³⁷⁷▷³⁷⁸▷³⁷⁹▷³⁸⁰▷³⁸¹▷³⁸²▷³⁸³▷³⁸⁴▷³⁸⁵▷³⁸⁶▷³⁸⁷▷³⁸⁸▷³⁸⁹▷³⁹⁰▷³⁹¹▷³⁹²▷³⁹³▷³⁹⁴▷³⁹⁵▷³⁹⁶▷³⁹⁷▷³⁹⁸▷³⁹⁹▷⁴⁰⁰▷⁴⁰¹▷⁴⁰²▷⁴⁰³▷⁴⁰⁴▷⁴⁰⁵▷⁴⁰⁶▷⁴⁰⁷▷⁴⁰⁸▷⁴⁰⁹▷⁴¹⁰▷⁴¹¹▷⁴¹²▷⁴¹³▷⁴¹⁴▷⁴¹⁵▷⁴¹⁶▷⁴¹⁷▷⁴¹⁸▷⁴¹⁹▷⁴²⁰▷<

Titicaca 119

Ughmctmug, NU, X013 110

Tel / Téléphone / ᐱᐸᐸᐸᐸᐸ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐸᐸᐸᐸᐸ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓂᕐᑎᓄᓇᐅᓄᓇ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



220318 3BM-TAL1926 Municipality of Taloyoak 2021 Annual Report-IMLE.pdf
1081K