## Morrison Bros. Co. Fig. 517/518 Series Spill Containers



## **DESCRIPTION**

The Fig. 517 and Fig. 518 contain any spills that occur at the fill point on Aboveground Storage Tanks. Both are designed to be mounted on top of the AST. The Fig. 517 has a hinged cover that is lockable with a #3 Masterlock. It is of steel construction and powder coated white inside and out. The Fig. 518 Spill Container has a hinged cover that is lockable with a #1 Masterlock. It has a push type drain with a fluoroelastomer o-ring. It is of steel construction and powder coated white inside and out.

## SPECIFICATION / DETAIL OPTIONS

**A**—Capacity: Gallons

**B**—Mounting Connection: Male (M), Female (F)

**C**—Mounting Location: Center (C), Offset (O)

D—Size: NPT threads
E—Drain: Yes/No
F—Screen: Yes/No
G—Height: (Inches)
H—Width: (inches)
I—Shipping weight: (Ibs.)

**J**—Body Diameter

**K**—ULC Listing: Yes (Y), No (N)

Body: Powder coated white Lid: Powder coated white

Hinge Bolt/Lock Nut: Zinc plated steel

## Fig. 518 Series Only:

Drain Push Rod: Brass Drain Nut: Brass Spring: Bronze

O-ring: Flouroelastomer

I.D. NUMBER	Α	В	С	D	Ε	F	G	Н	I	J	K
517-0100 AC	3.5	М	С	2	Ν	Ν	8.13	17.25	9	13.14	Yes
5170200 AC	3.5	М	С	4	Ν	Ν	8.63	17.25	9	13.14	Yes
517F-0100AC	3.5	F	C	2	Ν	Ζ	8	17.25	10.5	13.14	Yes
517F-0200AC	3.5	F	С	4	Ζ	Ζ	10.13	17.25	10.5	13.14	Yes
517WO-0100 AC	3.5	М	C	2	Ν	Υ	8.13	17.25	11	13.14	Yes
517WO-0200 AC	3.5	М	С	4	Ν	Υ	8.64	17.25	11	13.14	Yes
5180100 AC	7.5	F	0	4	Υ	Ν	15.87	19.3	26	15.09	Yes
518CC-0100AC	7.5	F	С	4	Υ	Ν	15.87	19.3	26	15.09	Yes
518M0100 AC	7.5	М	0	4	Υ	Ζ	17.2	19.3	26	15.09	No
518M0200 AC	7.5	М	0	2	Υ	Z	16.4	19.3	20	15.09	No

