

Richard Dwyer

Subject: FW: 3BL-AWL---- Arctic Watch Lodge

From: Canadian Arctic Holidays [mailto:mail@canadianarcticholidays.ca]

Sent: Thursday, July 23, 2009 8:15 AM

To: dts@nunavutwaterboard.org

Subject: Re: 3BL-AWL---- Arctic Watch Lodge

Dear Mr Hohnstein,

I received your message. You are asking for me to complete a lot of work. At this point in the summer, I do not have the time. I have a full lodge to run.

It is my observation that all the environmental concerns you are requesting are already covered by the INAC inspector. We are working towards the inspectors requirements. We expect to have everything completed by the end of the summer.

Also, as far as I remember there is no mention in our lease for requirements for such documentation as you have requested. However, after the summer, when I return to our office. I will review your request.

Regards,

Richard Weber
Canadian Arctic Holidays
363 Pritchard Rd
Alcove, QC
J0X 1AO
tel: 819 459 1794

On 22-Jul-09, at 7:36 PM, David Hohnstein wrote:

Mr. Weber,

Your request was passed on to me by Richard Dwyer, Licensing Administrator, NWB regarding the requirements for application documents for the Arctic Watch Lodge, NU. In reviewing what has been submitted and questions on what still remains to accompany the application, I have included a basic example of an Abandonment and Reclamation Plan for a small camp, as well as a Spill Contingency Plan (SCP), to be used as simple templates for your submissions. For the SCP you would need to acquire the appropriate material safety data sheets for the products in use and stored at the location that may impact the environment if spills occur and also confirm contact numbers for various agencies. The INAC Inspector number to be used is 867-975-4295. You could also reference the GN Dept of Env guideline to spill contingency planning for the basic plan requirements. <http://www.gov.nu.ca/env/splanning.pdf> . The requirement of the Abandonment and Reclamation Plan is to assure the Board that there are no long term environmental impacts and to demonstrate that the Licensee has taken into account all factors that may affect the restoration of the site and has written documentation of a commitment from the Licensee with respect to final restoration. It also aids in seasonal planning and providing the Board with proper closure planning on a seasonal basis.

In addition to the above, suitable scale maps are to be provided (both within the plans and as separate information attachments to the questionnaire) with the application for assessing impacts to surrounding environment and potential impacts due to activities, storage of fuels/chemicals, discharge of waste

(sewage/greywater) and water intake (source and location). These will greatly help in the review of the file and limit requests for additional information following distribution.

Hopefully this will be all that is needed to begin the formal review process. Thank you for your attention to the above.

Regards,

David Hohnstein
A/Director Technical Services
Nunavut Water Board

From: Richard Dwyer [<mailto:licensingadmin@nunavutwaterboard.org>]
Sent: Tuesday, July 14, 2009 1:12 PM
To: 'Canadian Arctic Holidays'
Cc: 'NPC Bobby Suluk'; dts@nunavutwaterboard.org
Subject: RE: 3BL-AWL---- Arctic Watch Lodge

Good afternoon Mr. Webber;

NPC is the Nunavut Planning Commission and I believe you've already received a conformity review from them. The abandonment & restoration I'll leave for the Director Technical Services, David Hohnstein to contact you on upon his return from duty travel.

Regards,

Richard Dwyer
Licensing Administrator
Nunavut Water Board
PH: 867-360-6338 ext.29
FX: 867-360-6369

From: Canadian Arctic Holidays [<mailto:mail@canadianarcticholidays.ca>]
Sent: Tuesday, July 14, 2009 12:00 PM
To: Richard Dwyer
Subject: Re: 3BL-AWL---- Arctic Watch Lodge

I will try to get the information together.

What is NPC?

We do not have an abandonment plan. This business has been in operation for 10 years, we have no plan to abandon the place.

Richard Weber
Canadian Arctic Holidays
363 Pritchard Rd
Alcove, QC
J0X 1A0
tel: 819 459 1794

On 14-Jul-09, at 1:38 PM, Richard Dwyer wrote:

Good morning Mr. Webber;

Attached is acknowledgement of file that was to be included with yesterdays questionnaire distribution. The requirements from Nunavut Impact Review Board may have been completed to complete your water licence application the Nunavut Water Board requires:

- NPC Conformity (or confirmation in writing from NPC that conformity is not required)
- Remote camp questionnaire
- Inuktitut & English Project Summary
- Spill Contingency Plan
- Abandonment & Restoration Plan

Regards,

Richard Dwyer
Licensing Administrator
Nunavut Water Board
PH: 867-360-6338 ext.29
FX: 867-360-6369

From: Canadian Arctic Holidays [<mailto:mail@canadianarcticholidays.ca>]

Sent: Tuesday, July 14, 2009 8:45 AM

To: Leslie Payette

Cc: 'Richard Dwyer'; 'NPC Bobby Suluk'

Subject: Re: 3BL-AWL---- Arctic Watch Lodge

If the screening is complete why are we being asked to fill out more forms?

Richard Weber
Canadian Arctic Holidays
363 Pritchard Rd
Alcove, QC
J0X 1A0
tel: 819 459 1794

On 14-Jul-09, at 10:39 AM, Leslie Payette wrote:

Please note that NIRB received conformity from NPC on the QIA and CWS permits on May 4th and completed the screening on June 2nd.

Regards,

Leslie

Leslie Payette
Manager Environmental Administration
Nunavut Impact Review Board
Cambridge Bay, Nunavut
Tel: 867.983.4605 (direct)
Tel: 866.233.3033 (toll-free)
Fax: 867.983.2594
Email: lpayette@nirb.ca
<http://ftp.nirb.ca/>

From: Richard Dwyer [<mailto:licensingadmin@nunavutwaterboard.org>]
Sent: July 13, 2009 3:26 PM
To: mail@canadianarcticholidays.ca
Cc: 'NPC Bobby Suluk'; 'NIRB-Leslie Payette'
Subject: 3BL-AWL---- Arctic Watch Lodge

Good afternoon;

Please see attached requesting additional information. Also attached is the remote camp questionnaire to be completed and the completed water licence application for convenience of the Nunavut Planning Commission and the Nunavut Impact Review Board.

Regards,

Richard Dwyer
Licensing Administrator
Nunavut Water Board
PH: 867-360-6338 ext.29
FX: 867-360-6369

<090713 3BL-AWL---- Acknowledgement of Application File Deficient-OLAE.pdf>

<080427 3BC-NWT---- NWTD Spill Plan-IMLE.pdf><051004NWB6HLC AR Plan-ITAE.pdf>