



NWB Tools

Robert Hunter &lt;robert.hunter@nwb-oen.ca&gt;

---

## 7BL-AWL1722 CIRNAC Review comments

---

**Nansen Weber** <nansen@arcticwatch.ca>

Thu, Jun 1, 2023 at 4:45 PM

To: Robert Hunter &lt;robert.hunter@nwb-oen.ca&gt;

Cc: Ali Shaikh &lt;ali.shaikh@nwb-oen.ca&gt;, Licensing Department &lt;licensing@nwb-oen.ca&gt;

Dear Robert,

Please see attached documents in response to CIRNAC's secondary review. Please forward the response documents including the updated Spill Response plan to the appropriate departments for review.

Attached is also the response for the ECCC and their request for APPENDIX B,C,D,F additional new appendix G, H, I

We appreciate the water boards time on this permit application,

Best regards,

Nansen

On May 31, 2023, at 2:36 PM, Robert Hunter <[robert.hunter@nwb-oen.ca](mailto:robert.hunter@nwb-oen.ca)> wrote:

Hi Nansen,

My apologies. I have been advised that we can provide the attached, in addition to CIRNAC's response we have received comments from ECCC in regards to your renewal application. The Nunavut Water Board requests a response to parties comments by the deadline of **June 9, 2023**.

Copies of all documents received in support of this submission can be accessed through the NWB's Public Registry and FTP site using the following Link:

<ftp://ftp.nwb-oen.ca/registry/7%20RECREATIONAL/7B/7BL%20-%20Lodge/7BL-AWL1722/2%20ADMIN/3%20SUBMISSIONS/2023%20Renewal>

The Nunavut Water board is aware that a number of web browsers are no longer supporting File Transfer Protocol (ftp). If you are having difficulty accessing our FTP site you may need to download an FTP application. We have been recommending the FileZilla Client below to access the files, which is a free and open source application. A link can be found below:

<https://filezilla-project.org/>

Please let me know if you have any questions or concerns,

Regards,

Robert Hunter  
Licensing Administrator

On Wed, May 31, 2023 at 2:56 PM Robert Hunter <[robert.hunter@nwb-oen.ca](mailto:robert.hunter@nwb-oen.ca)> wrote:

Good afternoon Nansen,

Yes, we have received additional comments from Parties. I have been advised that we will wait until the deadline of June 2, 2023, to allow parties to provide comments and send everything to you in one submission for a response. I have copied Technical Advisor Ali Shaikh for his information.

Please let me know if you have any questions or concerns.

regards,

Robert

On Wed, May 31, 2023 at 11:03 AM Nansen Weber <[nansen@arcticwatch.ca](mailto:nansen@arcticwatch.ca)> wrote:

Hello Robert,

Did the committee have any additional comments prior to the June 2nd deadline?

Your time is much appreciated.

Nansen

On May 23, 2023, at 12:16 PM, Robert Hunter <[robert.hunter@nwb-oen.ca](mailto:robert.hunter@nwb-oen.ca)> wrote:

Good afternoon Nansen,

I acknowledge receipt of your response to CIRNAC comments/ concerns, they have been forwarded to CIRNAC for review. We hope to hear back from them by May 30, 2023. Until then we will wait for additional comments if any, on or before the deadline of June 2, 2023 from parties.

Please let me know if you have any questions or concerns.

Regards,

Robert

On Tue, May 23, 2023 at 10:17 AM Nansen Weber <[nansen@arcticwatch.ca](mailto:nansen@arcticwatch.ca)> wrote:

Hello Robert,

I hope you had a great May long weekend.

What are the next steps regarding our renewal? Will CIRNAC review the documents we sent in last week and respond before June 2nd?

Thank you,

Nansen

On May 17, 2023, at 2:56 PM, Nansen Weber  
<[nansen@weberarctic.com](mailto:nansen@weberarctic.com)> wrote:

Hello Robert,

I appreciated the board giving us the time to review and respond to the questions before the deadline.

Please see attached documents in response to CIRNAC's initial review. Please forward the documents to the appropriate departments for review.

Sincerely,

Nansen

<water board - CIRNAC's review comments-2.pdf>  
<Arctic Watch\_NWB\_Annual\_Report 2022.xlsx - Standard Form-2.pdf>  
<Spill Plan 2023 revised - Arctic Watch Lodge.docx.pdf>

On May 17, 2023, at 10:44 AM, Robert Hunter  
<[robert.hunter@nwb-oen.ca](mailto:robert.hunter@nwb-oen.ca)> wrote:

Good morning Nansen,

As per our conversation, please see attached, CIRNAC's review comments in regards to your renewal application for the Arctic Watch Lodge Somerset Island, Nunavut Project. Please note that there may be additional comments from interested parties on or before the deadline of **June 2, 2023**.

Also would like to note that "No Water use or Waste Disposal is permitted until the water licence is issued".

Please confirm if the previous water licence was on Crown Land from 2015 to 2022? The Nunavut Water Board's last record of water use fee payment was for 2015, can you confirm if payments were made directly to CIRNAC? As the Water use fee of \$30 per year, for the years 2016, 2017, 2018, 2019, 2020, 2021 and 2022 remain outstanding.

Please let me know if you have any questions or concerns.

Regards,

Robert Hunter  
Licensing Administrator  
<230516 7BL-AWL1722 CIRNAC Review Comments-ILAE.pdf>

<Email-Signatures-Nansen.gif>

<Email-Signatures-Nansen.gif>

<Email-Signatures-Nansen.gif>











<230531 7BL-AWL1722 Arctic Watch Lodge WL Renewal - ECCC Comments-ILAE.pdf><230526 7BL-AWL1722 CIRNAC response to Applicant-ILAE.pdf>

---

## 11 attachments



**Email-Signatures-Nansen.gif**  
10K

-  **water board - CIRNAC's review phase 2-2.pdf**  
87K
-  **ECCC response - NWB File\_ 7BL-AWL1722.pdf**  
7240K
-  **Spill Plan 2023 revised - Arctic Watch Lodge.docx-2.pdf**  
157K
-  **Appendix B - Diesel - MSDS.pdf**  
53K
-  **Appendix C - Gasoline MSDS.pdf**  
78K
-  **Appendix D - MotorOil - MSDS.pdf**  
29K
-  **Appendix F - AW Photo.pdf**  
4310K
-  **Appendix G - Photo Materials location.pdf**  
237K
-  **Appendix H - Aerial view of CRW4 with fuel storage marked.pdf**  
165K
-  **Appendix I - Photo With Designated Fuel Transport Routes.pdf**  
312K