


Business Proposal(Fishing Lodge on Ennadai Lake) Draft #2

- fly-in fishing lodge with a maximum guest capacity of 12
- proposed area to include Ennadai Lake, Rochon Lake and the section of the Kazan River from Ennadai Lake to Angikuni Lake as well as Angikuni Lake
- clients to be offered a **fully guided** fishing adventure package with the point of departure being Points North, Saskatchewan
- strictly enforced catch-and-release policy
- the business to be operated on an annual basis during the 13 week period between June 1 and September 1
- the main structures to be erected are:
 - a main lodge building (30' x 50')
 - shower house/washroom facility (20' x 16')
 - workshop/generator building (15' x 15')
 - 10 'constructed floor tent facilities' for staff and client sleeping quarters
- main lodge and outbuildings to be erected on Crown land of approximate coordinates 60° 48' N and 101° 41' W
- a tent camp on the Kazan River (serving as overnight accommodation) comprising of
 - one large dining tent (12' x 20')
 - 4 sleeping tents for clients and guides
- preferential employment opportunity given to local residents of Nunavut territory where practical with certain economic benefit to local dry goods and building materials merchants as well as air charter services
- anticipated expansion into hunting and eco-tourism sectors with an outpost camp on Angikuni Lake with the upgrading of tent facilities to permanent cabins
- waste disposal practices to be commensurate with local regulations with adherence to a philosophy of minimal environmental impact regarding the same



990604NNUB6ENN Business Proposal - 12HE

- no anticipated negative impact on the traditional or current uses of these lands/waters
- owner/manager

John T. Cawker
1315 Hwy # 7A
R.R.# 4, Port Perry, Ontario

L9L 1B5

-6 years guiding experience in northern Canada

-4 years guiding experience in/near proposed lodge

- on-going consultation with:
 - the local Hunter and Trapper Organization
 - Arviat hamlet Council
 - Land Resources Indian and Northern Affairs, Canada
 - Department of Resources, Wildlife and Economic Development, Arviat

JUN 04 1999

PUBLIC REGISTRY

Water supply

drinking water will be taken from Ennadai Lake by use of a pump and water line fitted with a screened foot valve. It will pass through a filtration system prior to use

general water needs (laundry, sewage, etc.) will also use Ennadai Lake as source with storage in a water tower of sufficient height to service the lodge needs

Grey water and sewage disposal

main lodge building will have 2 septic pits of approximate size 5' x 5' x 5' - one to service the kitchen (sink) and one to service the bathroom

washroom shower house building will have 5 septic pits of approximate size 5' x 5' x 5' - one for every 2 bathrooms, one for every two toilets and one to service the sinks and urinals

three privies located at Kazan River tent-camp

laundry tent will have one septic pit of approximate size 5' x 5' x 5'

Garbage disposal

methods of incineration and recycling will be used according to local regulations


non-biodegradable material will be stored throughout the season and flown out after close up

incineration sites will be located so there will be no leakage into the water table

these same sites to be located so that they have no adverse effect on the aesthetic character of the lodge setting

Petroleum Fuel Storage

- all fuels (diesel, boat gasoline, aviation) stored in 45 gal drums
- storage area for these fuels at least 80 m from water's edge
- storage area for fuel will consist of a 10' x 10' concrete pad with 4" walls
- refueling of boats and planes from 100 gal containers with gravity-fed systems located 30 m from water's edge
- hand valves will be installed on all refueling hoses with shut-off valves at source container



ԱՐՆԻԿԱՆԱԿԱՆ ՀԱՅԳՈՅՆԻ ԱԽԵՐՆԵՐԻ Առ ԱՐԿԱՆ 2

John T. Cawker
1315 Hwy#7A
R.R. #4, Port Perry, Ontario

L9L 1B5

- ## • የፌዴራል-ዕድል የፌዴራል

Digitized by srujanika@gmail.com

- 484 - 147 90 43 -

ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅԱՆ Ազգային հարաբերությունների նախարար

የኢትዮጵያውያንድ የፌዴራል ስራ ለመመስረት ይችላል

AL-⁹ α pc ABDC

- CLA⁻ ስብሰብ ማስታወሻ (D₅₀ 100-150, D₉₀ 200-300, P₁₀ 200-300) 45 የፋይ የሚከተለው የሚከተለው የሚከተለው
 - CLA⁻ ስብሰብ ማስታወሻ (D₅₀ 80 ቤት ማረጋገጫ ማስታወሻ) CLA⁻ የሚከተለው
 - CLA⁻ ስብሰብ ማስታወሻ (D₅₀ 60-80 ቤት ማረጋገጫ ማስታወሻ) 10³ x 10³ የሚከተለው የሚከተለው የሚከተለው
 - CLA⁻ ስብሰብ ማስታወሻ (D₅₀ 100-150, D₉₀ 150-200) CLA⁻ የሚከተለው
 - CLA⁻ ስብሰብ ማስታወሻ (D₅₀ 100-150, D₉₀ 150-200) CLA⁻ የሚከተለው
 - CLA⁻ ስብሰብ ማስታወሻ (D₅₀ 100-150, D₉₀ 150-200) CLA⁻ የሚከተለው