

# **Tree River Spill Plan Version 2.0**

Prepared by:

Great Bear Lake Lodge Ltd.

Prepared on:

May 31, 2017

Effective Date:

July 1 2017



# **Tree River Outpost**

## **Spill Contingency Plan**

### **Table of Contents**

1.0	Introduction	Page 3
2.0	Scope and Purpose	Page 3
3.0	Site Information	Page 3
4.0	On-Site Project Coordinator	Page 4
5.0	Roles and Responsibilities	Page 4
6.0	Training and Education	Page 6
7.0	Spill Response Team and Contact Numbers	Page 6
8.0	Reporting Procedures	Page 7
9.0	Action Plan	Page 8
10.0	Spill Response Equipment	Page 8
11.0	Initial Actions – Measures to Address Spills	Page 9
12.0	General Procedure	Page 10
13.0	Fuel Storage Area	Page 11
14.0	Machinery Inspection (Tractor, Generator)	Page 11
15.0	Potential Safety Hazards	Page 12
16.0	Equipment Inventory	Page 12
17.0	Prevention Strategies	Page 12
Appendix A	Tree River Map Overview	
Appendix B	Tree River Map Camp	
Appendix C	Nunavut Spill Report Form	

# **Tree River Outpost**

## **Spill Contingency Plan**

Revised May 29, 2017

The Spill Contingency Plan was prepared for Nunavut Water Board

### **1.0 Introduction**

The following contingency plan presents the prescribed course of action to be taken in the case of unanticipated spill events at Tree River Outpost, Nunavut. The plan will enable persons in a particular situation to maximize the effectiveness of the environmental protection response and meet all regulatory requirements for reporting to the appropriate authorities.

### **2.0 Scope and Purpose**

This plan applies to all activities and facilities pertaining to the construction and operational activities at Tree River Outpost.

The purpose of the plan is to:

- Provide a clear statement of the procedures to be followed in response to all spills
- Minimize the potential environmental impact of spills by establishing predetermined action plans
- Protect the health and ensure the safety of the personnel involved in the Spill Response activities
- Provide a reporting network for spills
- Identify the roles and responsibilities of all parties involved in the Spill Response activities
- Identify sufficient personnel, materials, and equipment needed to provide an adequate response to a spill.

### **3.0 Site Information**

It is estimated that the camp operation will require a combined total of approximately 1500 liters of diesel, and 500 liters of gasoline each year. There will be usually be two barrels of Jet A that will be stored at the float plane dock over 31m from the OHWM. This is used for back-up fuel only for the float planes. Only a portion of this total amount is present at the camp at any time. Diesel and Jet A will be stored in standard 45 gallon drums. Gasoline is stored in 25L boat jerry cans that are brought to Tree River from Great Bear Lake full in the float plane and returned empty. Spill kits will be located at the camp's fuel storage/handling area. There is a 250 gallon tank at the generator of diesel.

Site Map – please refer to Appendix A, B

#### **4.0 On-site project coordinator: Camp Manager**

- Contact Information: email: [chuk@plummerslodges.com](mailto:chuk@plummerslodges.com), (204) 480-7897 (July/August) (204) 774-5775 (Winnipeg office all year)
- Mailing Address: 950 Bradford St, Winnipeg, MB R3H 0N5
- There is a Voip telephone at Tree River however the phone number changes from year to year. The Great Bear Lake Lodge seasonal phone number is consistent and will be in communication with Tree River. (204) 480-7897

#### **5.0 Roles and Responsibilities**

1. All on site personnel have the potential to be involved in spill response actions in the event of a spill. Their roles and responsibilities are described as follows (and summarized in Figure 1):
2. Review proper fuel handling practices and spill response activities with all camp personnel.
3. Practice spill prevention by performing regular maintenance on

- all fuel systems and by using proper [L] [SEP] methods for handling of fuel products. [L] [SEP]
4. Provide personnel, materials, and equipment necessary for adequate response to fuel spills. [L] [SEP]
  5. Establish communications and verbally report all spills to the camp supervisor as soon as practical. [L] [SEP]
  6. Isolate and eliminate all ignition sources. [L] [SEP]
  7. Ensure safety and security at the spill site. [L] [SEP]
  8. Stop or reduce discharge, if it is safe to do so. [L] [SEP]
  9. Make every effort to contain the spill by dyking with earth or other barriers on land. [L] [SEP]
  10. Assess potential for fuel recovery. [L] [SEP]
  11. Use pumps to return spilled fuel to drums. [L] [SEP]
  12. Follow all guidelines and regulations for disposal of spilled materials, associated debris, contaminated [L] [SEP] soil and water as established by appropriate government agencies. [L] [SEP]
  13. Assess potential terrain and wildlife disturbance, erosion disturbance in any areas to be affected by [L] [SEP] clean up operations and contact relevant authorities. [L] [SEP]
  14. Document all events/actions. [L] [SEP]
  15. Report all spills to the Spill Report Line within 48 hours and follow up with a written spill report . [L] [SEP] The written report must be completed within 30 days of the spill. This report shall summarize the initial report information; confirmation of spill volume; actions taken; future remediation / monitoring requirements; and a sketch and / or photographs of the spill area. [L] [SEP]

## **6.0 Training and Education:**<sup>[L]</sup><sub>[SEP]</sub>**Hazardous Materials and Risk Management.**

At Plummer's Great Bear Lake Lodge, we ensure that staff members are educated on the basics about the chemicals in the facility and their risks as follows:

- Hazardous materials terms and risk management. <sup>[L]</sup><sub>[SEP]</sub>
- Educated on personal protective equipment use and importance. <sup>[L]</sup><sub>[SEP]</sub>
- Control and containment of hazardous spills. <sup>[L]</sup><sub>[SEP]</sub>
- Taught how to recognize a hazardous emergency and who to contact. <sup>[L]</sup><sub>[SEP]</sub>
- First Aid Certification. <sup>[L]</sup><sub>[SEP]</sub>
- Taught means of disposal of hazardous waste. <sup>[L]</sup><sub>[SEP]</sub>
- Safety information is kept available for staff reference in case of an emergency. Such as emergency telephone numbers and Material Data Sheets for chemicals. <sup>[L]</sup><sub>[SEP]</sub> The workers have been trained for the job of keeping spills from spreading and keeping unauthorized personnel and guests away for any spills. <sup>[L]</sup><sub>[SEP]</sub> When hazardous spills happen it is critical that every employee at every level works together during the emergency to make sure that there are no injuries and that the facility is as safe as possible. <sup>[L]</sup><sub>[SEP]</sub>

## **7.0 Spill Response**

### **Spill Response Team Organization**

#### **Camp Manager Responsibilities:**

- Directs on-site personnel in spill response actions; - Coordinates cleanup activities; <sup>[L]</sup><sub>[SEP]</sub> - Report spills to Spill Response Line;

#### **Other On-Site Personnel Responsibilities**

- Assist in spill response activities as directed by the camp supervisor.

VoiP telephone and e-mail are available to on-site personnel to maintain communications with off-site parties. There is also an

emergency Satellite phone at camp as well.

**Table 1: Spill Contingency Plan - Contact List**

Resource	Location	Phone Number
24 Hour Spill Line	NWT/Nunavut	867-920-8130
Environment Canada	Environmental Protection Branch	867-669-4700
Government of Nunavut- Environmental Protection	Kugluktuk	867-982-7450
Aboriginal Affairs & Northern Development Canada – Land Administration Manager	Nunavut Regional Office	867-975-4544
Department of Fisheries and Oceans	Nunavut Regional Office	867-975-4280
Water Resource Officer – Eva Paul	Yellowknife, NT	867-669-2438
Great Bear Lake Lodge – Chuk Coulter	Great Bear Lake, NT	204-480-7897

## 8.0 Reporting Procedures

All spills must be reported within 48 hours. When reporting a spill to the 24 Hour Spill Report Line and completing the Nunavut Spill Report Form, the following information shall be included:

- Date and time of the spill; [L]  
[SEP]
- Location of the spill and direction the spill may be moving; [L]  
[SEP]
- Name and phone number of a contact person close to the location of the spill; [L]  
[SEP]
- Type of contaminant spilled and quantity spilled; [L]  
[SEP]

- Cause of the spill; [L][SEP]
- Whether the spill is continuing or has stopped; [L][SEP]
- Description of the existing containment; [L][SEP]
- Action taken to contain, recover, clean up and dispose of spilled material; [L][SEP]
- Name, address and phone number of the person reporting the spill; and
- Name of owner or person in charge, management or control of the contaminants at the [L][SEP]time of the spill. [L][SEP]

The spill report is to be submitted to the INAC Water Resources Officer no later than 30 days after initially reporting the spill to the spill report line. A copy of the NU Spill Report Form and Instruction Sheet are attached to this plan. [L][SEP]

## 9.0 Action Plan [L][SEP]

The following substances could potentially be spilled at Tree River Outpost: Diesel fuel, Jet A, Gasoline, and oil. [L][SEP]

## 10.0 Spill Response Equipment: [L][SEP]

There is a spill kit located in the storage building and at the float plane dock. [L][SEP]

- Spill Kit is packaged in a 20 gallon drum. To make transporting the drum easier, handles are molded all the way around the side of the container. [L][SEP]
- Each kit contains 2 rolls of folded sorbent (each 5 inches by 50 feet), 30 pads (each 17 inches by 19 [L][SEP]inches), 3 temporary disposal bags and ties, and one 20 gallon white drum. [L][SEP]
- Shovels, gloves, and extra plastic garbage bags are located with



- the spill kit in case of spills. [L][SEP]
- There is a large package of extra spill pads also located in the storage building. [L][SEP]
- Inventory is conducted at the beginning of each operating season to ensure supplies are on hand in the [L][SEP]event of a spill. In the event of a spill where supplies are used, they are they are replenished. [L][SEP]
- Emergency response equipment is inspected on a regular basis. Any leaks are repaired immediately. [L][SEP]

## 11.0 Initial Action - Measures to address spills

[L][SEP]In the event of a spill, protection of human health and safety is paramount. Contamination of personnel involved in a clean up is a real possibility, as is contamination of the surrounding workplace and environment.

The individual discovering a spill shall: [L][SEP]

- Warn the people in the immediate vicinity and evacuate if necessary. [L][SEP]
- Isolate or remove any ignition sources. [L][SEP]
- Identify the spilled material, if possible, and take all safety precautions before approaching it. [L][SEP]
- Locate the source of the spill. [L][SEP]
- Attempt to stop the leakage and contain the spill, if safe to do so. [L][SEP]
- Assess the likely size, extent and condition of the spill.
- Report to the camp manager the spill location, type of material, volume and extent, status of spill (direction of movement), and prevailing meteorological conditions.

Once the Camp Supervisor has been contacted and arrives at the spill site, the following actions are to be taken:

- Assess the severity of the spill via direct observation and/or information from communications. [L][SEP]
- Deploy equipment and personnel to initiate containment and clean up. [L][SEP]
- Prepare the Nunavut Spill Report Form. [L][SEP]
- Notify all other pertinent parties, including other government agencies. [L][SEP]

## 12.0 General Procedures

[L][SEP]The environmental protection measures outlined in the following sections are to be taken by all workers on-site to reduce the chance of environmental impairment due to a spill, release or other incident. The following general clean up procedures shall apply for all spill areas: [L][SEP]

- Wear protective clothing as required for handling spills. [L][SEP]
- Contain spills on soil (gravel/gravelly substrate, rock and silty substrate) by construction of earthen [L][SEP]dykes using available material. If soil is not available, place sorbent material or a boom in the path of the spill. As the sorbent barrier becomes saturated, continually replace it. Fuel or other liquids lying in pools, trenches or in specially constructed troughs are to be removed with pumps, buckets or skimmers. [L][SEP]
- Apply sorbents if necessary. [L][SEP]
- Assess potential for disturbance of wildlife and fish by spill or clean up operations and notify the [L][SEP]relevant authorities. [L][SEP]
- Notify environmental authorities to discuss disposal and clean up options. [L][SEP]
- Conduct required clean up operations. [L][SEP]
- Assess and appropriately treat any areas disturbed by clean up activities. [L][SEP]
- Ensure the site has been completely restored and leave the site only when all work is finalized. [L][SEP]
- Disposal of soil/substrate or sorbent materials are bagged and shipped to Resolute for disposal. [L][SEP]
- Records of spills and disposal of such to be maintained.

(documentation, photos and copy of Nunavut [SEP] Spill Form.) [SEP]

### 13.0 Fuel Storage Areas

[SEP] In order to prevent spill or accidents at fuel storage areas, the following procedures apply:

- Avoid sites that slope towards waterways or other environmentally sensitive areas, exhibit ponding or flooding, have high groundwater tables, and/or excessive seepage or ice-rich (thaw sensitive) soils. [SEP]
- Conduct fuelling and equipment lubrication in a manner that avoids spillage. When refueling equipment, operators are to use leak-free containers, reinforced rip and puncture proof hoses and nozzles, and drip trays. Operators are to be in attendance for the duration of the refueling operation and are to ensure that all storage container outlets are properly sealed after use. [SEP]
- Smoking is prohibited within 7.5 meters of the fuel storage facility. [SEP]
- Inspect fuel storage facilities at least once each week for the duration of the project.
- All barrels shall be individually identified. The label is to be to industry standards and should provide all information necessary for health and safety, and environmental purposes. Conduct regular inspections of all machinery hydraulic, fuel and cooling systems. Repair leaks immediately. [SEP]
- Pre-assemble and maintain emergency spill response equipment including at least two fuel pumps, empty 200 liter barrels and absorbent materials. [SEP]
- Remove all used barrels, redundant fuel storage sites and associated materials and equipment from the site. [SEP]

### 14.0 Machinery Inspection (Tractor, Generator)

- Conduct regular inspections of all machinery hydraulic, fuel and cooling systems. [SEP]

- Repair leaks immediately [L] [SEP]

## 15.0 Potential Safety Hazards

- The most significant potential safety hazard related to a fuel spill at Tree River Outpost is the possible soil, gravel substrate and water contamination from the spill. Extreme care is taken to keep spill possibility to a minimum. Although soil or water contamination is a real potential hazard, the likelihood is small and spill volumes are small.

## 16.0 Equipment Inventory

The following equipment will be onsite at Tree River Outpost.

- ATV (1) [L] [SEP]
- Diesel Generator (2) [L] [SEP]
- Diesel Furnace (9) [L] [SEP]
- Water Heaters (2) [L] [SEP]
- Aluminum boats (6) [L] [SEP]
- Tractor F1500 (1) [L] [SEP]
- Propane Stove (2)

## 17.0 Prevention Strategies [L] [SEP]

- Instituting preventive maintenance programs to avoid spills resulting from equipment
- Any installed or constructed equipment, structure, or mechanism to be monitored and maintained in good repair
- If there is any possibility of leakage the equipment will be immediately drained until repair can be performed. [L] [SEP]
- Personnel to be trained in the operation, maintenance and monitoring of any installed or constructed equipment, structure or mechanism. [L] [SEP]
- Making available containment structures to prevent spilled material from entering the natural environment. [L] [SEP]
- Ensuring appropriate material, equipment and personnel are available to monitor and control the movement of pollutants





Tree River Camp

Float Plane Dock

Airstrip



0 m

200 m

Show ▾





0 m 35 m



Guide Cabins

Guest Cabins

Manager Cabin/Shower

Main Building

Office/Store

Storage Shed

Generator Shack

Show







# NT-NU SPILL REPORT

NT-NU 24-HOUR SPILL REPORT LINE

TEL: (867) 920-8130

FAX: (867) 873-6924

EMAIL: [spills@gov.nt.ca](mailto:spills@gov.nt.ca)

REPORT LINE USE ONLY

PAGE 1 OF