



**Water Licence
Application for the
Canadian Forces
Station Alert Project**

Renewal for 8AC-ALT----

Nunavut Water Board Technical
Meeting

Teleconference, August 23-24, 2018

ΔΓϚϚ ϚΔϚϚϚϚϚ
ბოცდ< ბოცϚბჲჲϚ
◁ჴ< მცჲϚბოცდჴ
ცო 8AC-ALT----

მეჴჴ ΔლცოϚϚ ბოლბდ<
ბოლშ

ბჲბჴბჲ ბოლშ, ◁ჴ 23-Γ 24-ჴ,
2018



Outline	Δჴცო
• Roles and responsibilities • Contributions to the application review • Topics discussed: 1. Water Management Plan 2. Sludge management 3. Fuel management 4. Closure & reclamation 5. Additional components • Closing	• Ϛცოჲბჲბჲშო Ϛლ • Δბჲ◁ მცშ • ბშბჲცდშ◁ჲბჲ 1. Δლშ◁ ბდცოშ 2. ◁ჲცჲბ◁ ბდცდშ 3. ბჲბდ◁ ბდცდშ 4. ლჴშ◁ ბლ ბოშოცდშ 5. ◁შო Ϛცო • ლჴშ

2

Roles and responsibilities

Crown-Indigenous Relations and Northern Affairs Canada's (CIRNAC) responsibilities, mandate, and obligations stem from the following:

- *Department of Indian Affairs and Northern Development Act*
- *Nunavut Agreement*
- *Nunavut Land Claims Agreement Act*
- *Nunavut Waters and Nunavut Surface Rights Tribunal Act* and the associated regulations
- *Nunavut Planning and Project Assessment Act*
- *Territorial Lands Act* and the associated regulations
- *Arctic Waters Pollution Prevention Act*

ԺԵՆԵՐԱԿԱՆ ԳՐԻՆ
 ԱՇԽԱՏԱԿԱՆ ԳՐԻՆ

Δοτνλγδςβδς βαϸ Λγβγςβςβς,
 Γϸγδγλςϸ ϸλλ γδνλςβςβςςρς
 δδςςλςβςς:

- [illegible]

3

Contributions to the application review

CIRNAC made the following submissions to the Nunavut Water Board:

1. August 26, 2016 – Preliminary completeness review
2. July 20, 2018– Technical review comments with recommendations

Δb↯Π^ϵΔ^c
CCΠ_hΔ^aσ^b
ϕΓ^ϕΠσ^ϕ⌋^c

[illegible]

- [illegible]

4

1. Water Management Plan

Plan addressing how:

- Water is diverted from sewage treatment area
- Water is diverted around landfills and landfills
- Erosion of sediment into waterbodies is prevented

1. ልገሥት

ፋብሪካውንቲን ለውጭ ይደርሳል

ፋብሪካውንቲን

ፋብሪካውንቲን ለውጭ ይደርሳል

- ልገሥት ይደርሳል ፋብሪካውንቲን ይደርሳል
- ልገሥት ከፋብሪካውንቲን ይደርሳል
- ፋብሪካውንቲን ለውጭ ይደርሳል



5

2. Sludge management

How is level assessed in terraced wetland facility and how will it be managed?

2. ፋብሪካውንቲን

ፋብሪካውንቲን

ፋብሪካውንቲን

ፋብሪካውንቲን

ፋብሪካውንቲን

ፋብሪካውንቲን



3. Fuel management

Information missing on:

- Inspection procedures for fuel storage facilities
- Fuel transfer procedures
- Training to be provided

3. ፕላንና ማረጋገጫ

ክፍል ለሚገኝ ለጥናት ማረጋገጫ
ፕላን:

- ክፍል ለሚገኝ ፕላን ማረጋገጫ
- ፕላን ማረጋገጫ ለጥናት ማረጋገጫ
- ለጥናት ማረጋገጫ ማረጋገጫ



7

4. Closure & reclamation

- Some facilities (ex. Battery Dump, Dump #3) are no longer in use
- Abandonment and Reclamation Plans are required for facilities no longer in use
- Which facilities are managed by the Federal Contaminated Sites Action Plan?
- Will the work plan to be provided in 2019 include reclamation plans for the unused sites?

4. ማጠቃለያና ማረጋገጫ

- ለጥናት ማረጋገጫ ማረጋገጫ (ፕላን ማረጋገጫ) ማረጋገጫ
- ለጥናት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ
- ለጥናት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ
- ለጥናት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ
- ለጥናት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

8

5. Additional components

- Geotechnical inspections
- Station name for new landfarm
- Contact information update
- Licence term
- Water use

5. ልዩ ስራ ለጽሑፍ

- ስራው ስለሚሰራው ስራው
- ስራው ለሰራው ስራው
- ስራው ለሰራው ስራው
- ስራው ለሰራው ስራው
- ስራው ለሰራው ስራው

9

Closing

- The department is confident that concerns brought forward can and will be addressed by Department of National Defense to the satisfaction of CIRNAC before a Public Hearing.

ገጽ

- ስራው ስለሚሰራው ስራው
- ስራው ለሰራው ስራው
- ስራው ለሰራው ስራው
- ስራው ለሰራው ስራው
- ስራው ለሰራው ስራው

10

