

Average Daily Water Usage at CFS Alert - 8AC-ALT---- (formerly 3BC-ALT1015)

Year [yr]	Month [mo]	Days [day]	Average Daily Intake (Usage) [m3/day]	Maximum Daily Intake [m3/day]	Average Daily Returned [m3/day]	Maximum Daily Return [m3/day]	Average Daily Utilized (Consumed) [m3/day]	Maximum Daily Utilized (Consumed) [m3/day]	Metered [Y/N]	Quantity Utilized [m3]
2015	JAN	31	264	524	145	283	119	241	Y*	8,173
2015	FEB	28	266	304	143	174	123	153	Y*	7,452
2015	MAR	31	535	701	454	568	81	269	Y*	16,572
2015	APR	30	434	543	336	405	98	138	Y	13,028
2015	MAY	31	427	532	320	396	107	136	Y	13,244
2015	JUN	30	402	472	326	408	76	118	Y	12,071
2015	JUL	31	404	472	335	397	69	117	Y	12,530
2015	AUG	31	440	545	380	450	61	117	Y	13,654
2015	SEP	30	406	500	333	396	73	119	Y	12,190
2015	OCT	31	451	558	360	447	91	120	Y	13,980
2015	NOV	30	437	502	344	623	93	117	Y	13,103
2015	DEC	31	430	584	361	495	68	119	Y	13,327
Annual Average [m3/day]:			408	520	320	420	88	147	Total	149,324
Observed Minimum [m3/day]:			264	304	143	174	61	117	Annual	
Observed Maximum [m3/day]:			535	701	454	623	123	269	[m3]:	

Month Jan.		Year		2015									
Day	Raw #1		Supply				Return					Station	Bar
	S	TR	PSI	Flow m³/d	read m³	total m³	PSI	0°F	Flow m³/d	Read m³	Total m³		
	PSI	PSI											
1				332		376			159		147	229	1
2				166		186			128		124	62	1
3				163		258			123		144	114	1
4				166		231			125		142	89	1
5				168		245			126		153	92	1
6				168		255			128		143	112	2
7				168		255			128		143	112	
8				334		524			129		283	241	2
9				332		248			137		138	110	2
10				169		264			129		144	120	2
11				167		275			129		143	132	2
12				333		257			130		137	120	2
13				168		255			129		137	118	1
14				166		258			128		141	117	1
15				167		272			130		139	133	1
16				335		246			134		144	102	1
17				165		262			129		141	121	1
18				167		247			127		140	107	1
19				167		257			127		140	117	1
20				311		263			134		171	92	2
21				309		267			115		120	147	2
22				308		252			137		132	120	2
23				307		242			138		135	107	2
24				305		245			138		136	109	2
25				127		233			139		141	92	2
26				309		240			139		140	100	2
27				301		245			136		128	117	1
28				240		243			135		134	109	1
29				301		246			135		133	113	1
30				293		253			137		135	118	1
31				339		273			138		155	118	1
Total						8,173					4,483	3,690	
Avg				240		264			132		145	119	
Min				127		186			115		120	62	
Max				339		524			159		283	241	

NOTE1: INTAKE FLOW METER NOT IN SERVICE AT WATER TREATMENT PLANT AS OF OCT 6 2014 UNTIL MAR 3 2015.

NOTE2: SPARE FLOW METER INSTALLED, LOCATION CHANGED FROM WATER TREATMENT PLANT TO THE LOWER PUMP HOUSE.

NOTE3: INTAKE & RETURN FLOW METER VALUES USED FROM LOWER PUMP HOUSE AS OF OCT 6 2014 UNTIL MAR 03 2015.

Month Feb.	Year 2015	ERT WTP Page 2 of 4 - PLANT PHYSICAL CHECKS
------------	-----------	---

Day	Distribution Loop #2													
	S	TR	Supply				Return					Station Use m ³	Σ	
	PSI	PSI	PSI	Flow m ³ /d	Read m ³	Total m ³	PSI	0 ^F	Flow m ³ /d	Read m ³	Total m ³			
1	25	30		304		220			138		121	99	1	
2	27	29		300		232			136		137	95	1	
3	22	26		159		254			125		131	123	2	
4	26	30		167		264			137		138	126	2	
5	28	28		170		261			135		146	115	2	
6	22	24		308		261			134		147	114	2	
7	27	28		308		298			138		160	138	2	
8	27	29		310		196			136		106	90	2	
9	26	28		318		304			133		174	130	2	
10	28	29		312		254			137		142	112	2	
11	22	24		310		267			135		147	120	2	
12	26	26		311		277			137		143	134	2	
13	26	26		313		266			138		145	121	2	
14	26	28		313		261			133		139	122	2	
15	26	25		170		270			136		148	122	2	
16	26	28		312		274			138		152	122	2	
17	26	28		310		261			136		140	121	2	
18	26	28		310		275			140		143	132	2	
19	26	28		310		265			142		151	114	2	
20	24	26		169		247			134		139	108	2	
21	24	26		312		293			133		140	153	2	
22	28	26		313		268			137		138	130	2	
23	22	26		312		282			136		146	136	2	
24	24	28		313		289			135		141	148	2	
25	24	28		310		300			135		154	146	2	
26				310		271			135		146	125		
27				310		271			135		146	125		
28	26	24		313		271			135		146	125	2	
29														
30														
31														
Total						7,452						4,006	3,446	
Avg						285						143	123	
Min						159						106	90	
Max						318						174	153	

NOTE1: INTAKE FLOW METER NOT IN SERVICE AT WATER TREATMENT PLANT AS OF OCT 6 2014 UNTIL MAR 3 2015

NOTE2: SPARE FLOW METER INSTALLED, LOCATION CHANGED FROM WATER TREATMENT PLANT TO THE LOWER PUMP HOUSE

NOTE3: INTAKE & RETURN FLOW METER VALUES USED FROM LOWER PUMP HOUSE AS OF OCT 6 2014 UNTIL MAR 03 2015

Day	Raw ^{*1} Distribution Loop ^{*2}												
	S	TR	Supply				Return					Station	Bar
	PSI	PSI	PSI	Flow m ³ /d	Read m ³	Total m ³	PSI	0 ^F	Flow m ³ /d	Read m ³	Total m ³		
1	24	26		572		557			470		477	80	2
2	24	26		572		557			470		477	80	2
3	24	26	50	572	602,710	557	45	45	465	525,935	358	107	2
4					603,267	557				526,424	489	68	
5	24	26	50	562	603,868	601	48	48	443	526,913	489	112	2
6	24	26	50	557	604,569	701	48	48	461	527,349	436	25	2
7	24	26	50	552	605,511	496	48	48	464	527,849	500	4	2
8	25	26	50	554	606,065	554	44	44	460	528,331	482	72	2
9	25	26	50	550	606,615	550	44	44	447	528,738	407	143	2
10	24	26	52	550	606,923	308	44	44	472	529,207	469	161	2
11	24	26	52	562	607,157	234	44	44	460	529,710	503	269	2
12	24	26	52	558	607,713	551	44	44	468	530,130	420	131	2
13	24	26	52	553	608,259	546	44	44	468	530,509	379	167	2
14	24	26	52	567	608,816	557	44	44	474	531,071	562	5	2
15	24	26	52	553	609,393	577	44	44	474	531,556	485	92	2
16	24	26	52	578	609,927	534	44	44	441	532,004	448	86	2
17	24	26	52	557	610,454	527	44	44	464	532,441	437	90	2
18	24	26	52	561	611,017	563	44	44	450	532,905	464	99	2
19	25	26	50	578	611,572	555	44	44	403	533,362	457	98	2
20	24	26	52	557	612,127	555	44	44	458	533,825	463	92	2
21	24	26	52	555	612,818	691	44	44	459	534,393	568	123	2
22	24	26	52	551	613,326	508	44	44	468	534,818	425	83	2
23	24	26	45	630	613,803	477	44	44	201	535,217	399	78	2
24	24	26	52	569	614,358	555	44	44	404	535,687	470	85	2
25	24	26	52	555	614,914	556	44	44	470	536,142	455	101	2
26	24	26	52	547	615,460	546	44	44	465	536,590	448	98	2
27	24	26	52	563	616,032	572	44	44	461	537,067	477	95	2
28	24	26	52	569	616,650	618	44	44	451	537,574	507	111	2
29	24	26	46	455	617,223	573	44	44	332	538,042	468	105	2
30	24	26	47	443	617,611	388	43	43	337	538,347	305	83	2
31	24	26	48	436	618,062	451	42	42	347	538,693	346	105	2
Total						16,572					14,070	3,048	
Avg			551			535			437		454	98	
Min			436			234			201		305	4	
Max			630			701			474		568	269	

NOTE1: INTAKE FLOW METER NOT IN SERVICE AT WATER TREATMENT PLANT AS OF OCT 6 2014 UNTIL MAR 3 2015.

NOTE2: SPARE FLOW METER INSTALLED, LOCATION CHANGED FROM WATER TREATMENT PLANT TO THE LOWER PUMP HOUSE.

NOTE3: INTAKE & RETURN FLOW METER VALUES USED FROM LOWER PUMP HOUSE AS OF OCT 6 2014 UNTIL MAR 03 2015.

Day	Raw ^{*1}		Distribution Loop ^{*2}										
	S	TR	Supply				Return					Station	Duty HL
	PSI	PSI	PSI	Flow m³/d	Read m³	Total m³	PSI	0°F	Flow m³/d	Read m³	Total m³	Use m³	
1	24	24	47	412	618,507	445	42	44	313	539031	338	107	1
2	24	24	47	435	618,940	433	42	48	340	539347	316	117	1
3	24	24	47	428	619,415	475	42	50	343	539716	369	106	1
4	24	24	47	456	619,859	444	42	50	336	540077	361	83	1
5	24	24	47	440	620,241	382	42	50	358	540389	312	70	1
6	24	24	47	432	620,716	475	42	50	344	540778	389	86	1
7	24	24	47	435	621,092	376	42	50	319	541,079	301	75	1
8	24	24	47	438	621,529	437	42	50	326	541,425	346	91	1
9	24	24	47	433	621,937	408	42	50	322	541,750	325	83	1
10	25	25	45	436	622,365	428	42	50	291	542,085	335	93	1
11	25	25	45	424	622,816	451	42	50	324	542,444	359	92	1
12	25	25	45	441	623,229	413	42	50	311	542,771	327	86	1
13	24	25	46	422	623,664	435	42	50	342	543,112	341	94	1
14	23	22	46	430	624,083	419	42	50	296	543,445	333	86	1
15	20	22	45	435	624,541	458	42	50	326	543,804	359	99	1
16	22	21	46	443	624,945	404	41	50	319	544,112	308	96	1
17	22	22	47	433	625,382	437	42	50	318	544,449	337	100	1
18					625,804	422				544,772	323	99	1
19	24	22	47	423	626,226	422	42	50	295	545,122	350	72	1
20	22	20	47	431	626,655	429	42	50	293	545,450	328	101	1
21	22	22	42	413	627,074	419	42	50	309	545,759	309	110	1
22	24	25	42	436	627,516	442	42	50	307	546,096	337	105	1
23	24	24	47	431	627,968	452	42	50	295	546,439	343	109	1
24	24	25	47	457	628,511	543	42	50	316	546,844	405	138	1
25	24	25	47	437	628,851	340	42	50	327	547,105	261	79	1
26	24	24	46	420	629,261	410	43	50	341	547,419	314	96	1
27	24	24	46	433	629,741	480	43	50	291	547,787	368	112	1
28	27	24	44	453	630,185	444	42	50	309	548,120	333	111	1
29	29	27	46	442	630,636	451	42	50	327	548,455	335	116	1
30	30	29	47	448	631,090	454	42	50	306	548,780	325	129	1
31													
Total						13,028					10,087	2,941	
Avg			434			434			319		336	98	
Min			412			340			291		261	70	
Max			457			543			358		405	138	

Day	Raw ^{*1}		Distribution Loop ^{*2}										
	S	TR	Supply				Return					Station	Duty HL
	PSI	PSI	PSI	Flow m ³ /d	Read m ³	Total m ³	PSI	0 ^F	Flow m ³ /d	Read m ³	Total m ³	Use m ³	
1	28	27	44	438	631,527	437	43	50	306	549108	328	109	2
2	26	24	47	436	631,920	393	42	50	302	549408	300	93	2
3	26	24	47	441	632,352	432	43	50	308	549741	333	99	2
4	24	25	46	448	632,801	449	42	50	317	550083	342	107	2
5	24	25	46	420	633,215	414	42	50	265	550401	318	96	2
6	20	22	45	412	633,643	428	43	50	318	550735	334	94	2
7	21	20	47	417	634,030	387	42	5	321	551,042	307	80	2
8	20	22	46	412	634,444	414	42	50	319	551,367	325	89	2
9	21	18	46	436	634,876	432	41	50	252	551,694	327	105	2
10	18	20	47	419	635,278	402	42	50	325	551,993	299	103	2
11	18	20	46	430	635,740	462	42	50	315	552,337	344	118	2
12	21	21	46	439	636,150	410	42	50	312	552,638	301	109	2
13	18	20	47	426	636,583	433	42	50	318	552,963	325	108	2
14	18	20	47	444	637,013	430	42	50	288	553,274	311	119	2
15	18	20	47	437	637,450	437	42	50	305	553,593	319	118	2
16	18	20	47	453	637,876	426	42	50	274	553,887	294	132	2
17	18	20	47	446	638,384	508	42	50	280	554,267	380	128	2
18	18	20	47	437	638,831	447	42	50	298	554,585	318	129	2
19	18	20	47	439	639,203	372	42	50	313	554,852	267	105	2
20	18	20	46	440	639,620	417	42	50	283	555,152	300	117	2
21	18	20	46	450	640,050	430	42	50	312	555,468	316	114	2
22	18	20	47	395	640,473	423	43	50	325	555,798	330	93	2
23	18	20	47	430	640,897	424	42	50	287	556,130	332	92	2
24	18	20	47	411	641,308	411	42	50	320	556,450	320	91	2
25	20	22	47	429	641,735	427	42	50	299	556,772	322	105	2
26	20	22	46	443	642,153	418	42	50	287	557,078	306	112	2
27	20	22	47	436	642,587	434	42	50	285	557,401	323	111	2
28	18	22	45	462	643,119	532	42	50	265	557,797	396	136	2
29	18	20	47	428	643,448	329	42	52	289	558,040	243	86	2
30		18	22	424	643,925	477	42	50	308	558,390	350	127	2
31		20	22	444	644,334	409	42	50	272	558,699	309	100	2
Total						13,244					9,919	3,325	
Avg				433		427			299		320	107	
Min				395		329			252		243	80	
Max				462		532			325		396	136	

Total
Avg
Min
Max

Day	Raw ^{*1}		Distribution Loop ^{*2}										
	S	TR	Supply				Return					Station	Duty HL
	PSI	PSI	PSI	Flow m ³ /d	Read m ³	Total m ³	PSI	0 ^F	Flow m ³ /d	Read m ³	Total m ³	Use m ³	
1	18	20	45	408	656,811	441	42	55	242	568793	339	102	2
2	18	20	46	407	657,201	390	42	55	314	569110	317	73	2
3	20	20	48	437	657,608	407	44	55	342	569446	336	71	2
4	18	20	48	446	658,080	472	44	55	353	569843	397	75	2
5	18	20	47	413	658,530	450	45	55	329	570195	352	98	2
6	18	20	47	425	658,947	417	42	57	356	570566	371	46	2
7	12	20	47	427	659,390	443	42	60	288	570,912	346	97	2
8	12	18	48	392	659,825	435	42	58	314	571,237	325	110	2
9	16	18	47	373	660,225	400	44	58	301	571,535	298	102	2
10	18	20	46	404	660,564	339	42	58	307	571,805	270	69	2
11	18	20	47	425	660,997	433	43	58	257	572,121	316	117	2
12	18	20	47	367	661,361	364	43	60	303	572,400	279	85	2
13	16	18	48	397	661,729	368	44	58	292	572,705	305	63	2
14	20	20	46	413	662,070	341	42	60	298	573,005	300	41	2
15	20	20	48	395	662,465	395	44	60	327	573,348	343	52	2
16	20	20	48	395	662,864	399	44	58	340	573,686	338	61	2
17	20	20	48	408	663,273	409	42	62	342	574,019	333	76	2
18	18	20	47	427	663,715	442	42	60	321	574,396	377	65	2
19	20	20	48	458	664,104	389	42	58	302	574,725	329	60	2
20	20	20	48	443	664,516	412	42	58	320	575,058	333	79	2
21	20	20	48	431	664,919	403	42	62	321	575,396	338	65	2
22	20	22	48	409	665,376	457	44	62	349	575,780	384	73	2
23	18	20	45	419	665,759	383	44	62	336	576,112	332	51	2
24	23	25	45	428	666,153	394	43	62	314	576,455	343	51	2
25	23	24	48	400	666,514	361	44	60	384	576,776	321	40	2
26	23	26	48	403	666,920	406	44	62	345	577,132	356	50	2
27	20	27	47	336	667,352	432	44	60	342	577,507	375	57	2
28	18	20	47	386	667,743	391	44	61	345	577,856	349	42	2
29	18	20	47	398	668,135	392	44	61	345	578,184	328	64	2
30	17	20	52	384	668,529	394	44	460	414	578,516	332	62	1
31	18	20	60	401	668,900	371	44	60	393	578,841	325	46	1
Total						12,530					10,387	2,143	
Avg				408		404			327		335	69	
Min				336		339			242		270	40	
Max				458		472			414		397	117	

Day	Raw #1		Distribution Loop #2										
	S	TR	Supply				Return					Station	Duty HL
	PSI	PSI	PSI	Flow m³/d	Read m³	Total m³	PSI	0°F	Flow m³/d	Read m³	Total m³	Use m³	
1	22	22	51	413	669,374	474	45	60	358	579274	433	41	1
2	18	20	51	431	669,788	414	54	60	402	579645	371	43	1
3	20	22	51	437	670,223	435	44	60	365	580021	376	59	1
4	21	22	51	428	670,703	480	44	60	396	580444	423	57	1
5	16	20	50	468	671,152	449	45	60	386	580835	391	58	1
6	20	22	50	474	671,579	427	47	60	355	581225	390	37	1
7	20	22	51	472	672,063	484	43	60	389	581,625	400	84	1
8	20	21	52	439	672,463	400	45	60	422	581,973	348	52	1
9	20	22	48	472	672,902	439	43	60	371	582,350	377	62	1
10	22	24	50	477	673,446	544	44	60	397	582,800	450	94	1
11	22	24	49	502	673,918	472	44	60	372	583,175	375	97	1
12	18	20	50	474	674,397	479	44	60	385	583,570	395	84	1
13	24	26	46	193	674,832	435	43	60	318	583,954	384	51	1
14	16	22	46	511	675,293	461	43	60	335	584,298	344	117	1
15	22	23	50	479	675,719	426	44	60	403	584,632	334	92	1
16	22	24	51	487	676,229	510	45	60	395	585,039	407	103	1
17	22	22	48	500	676,774	545	44	58	383	585,475	436	109	1
18	23	24	48	492	677,252	478	44	58	384	585,856	381	97	1
19	24	22	49	488	677,726	474	43	55	393	586,246	390	84	1
20	22	22	53	494	678,210	484	45	55	409	586,643	397	87	1
21	55	58	46	447	678,660	450	43	56	291	587,005	362	88	1
22	22	22	52	344	679,012	352	45	58	393	587,325	320	32	1
23	22	22	51	391	679,410	398	44	58	409	587,731	406	-8	2
24	22	22	46	392	679,852	442	44	58	389	588,152	421	21	1
25	20	22	47	410	680,256	404	43	58	359	588,526	374	30	1
26	20	22	46	444	680,686	430	44	58	412	588,938	412	18	1
27	21	20	47	367	681,035	349	44	58	315	589,264	326	23	1
28	10	12	50	442	681,400	365	42	57	298	589,603	339	26	1
29	20	22	46	407	681,728	328	43	57	199	589,921	318	10	1
30	17	20	44	435	682,111	383	43	56	164	590,232	311	72	1
31	21	24	48	418	682,554	443	43	54	298	590,610	378	65	1
Total						13,654					11,769	1,885	
Avg			440			440			360		380	61	
Min			193			328			164		311	-8	
Max			511			545			422		450	117	

Day	Raw ^{*1}		Distribution Loop ^{*2}										
	S	TR	Supply				Return					Station	Duty HL
	PSI	PSI	PSI	Flow m ³ /d	Read m ³	Total m ³	PSI	0 ^F	Flow m ³ /d	Read m ³	Total m ³	Use m ³	
1	14	20	47	413	695,157		44	48	306	600957			1
2	14	22	48	440	695,593	436	44	45	301	601310	353	83	1
3	12	20	48	458	696,033	440	42	50	299	601671	361	79	1
4	12	20	48	456	696,468	435	44	50	325	602012	341	94	1
5	12	20	48	454	696,927	459	44	50	339	602372	360	99	1
6	14	24	49	459	697,392	465	44	50	361	602740	368	97	1
7	14	22	47	461	697,838	446	43	52	344	603,083	343	103	1
8	12	20	48	461	698,297	459	42	50	304	603,439	356	103	1
9	12	20	49	441	698,756	459	44	52	315	603,806	367	92	1
10	14	35	48	437	699,189	433	44	52	350	604,163	357	76	1
11	12	24	49	444	699,655	466	44	50	320	604,536	373	93	1
12	14	20	48	445	700,072	417	44	50	318	604,878	342	75	1
13	12	22	49	430	700,535	463	43	52	363	605,255	377	86	1
14	12	22	48	440	700,981	446	44	50	356	605,607	352	94	1
15	14	20	48	435	701,420	439	44	52	349	605,969	362	77	1
16	14	21	49	438	701,886	466	44	50	359	606,355	386	80	1
17	14	20	48	447	702,313	427	44	48	374	606,702	347	80	1
18	14	20	48	455	702,871	558	45	50	345	607,149	447	111	1
19	12	20	48	451	703,221	350	44	50	347	607,433	284	66	1
20	15	24	50	448	703,684	463	44	50	365	607,805	372	91	1
21	12	20	48	450	704,203	519	44	48	368	608,214	409	110	1
22	12	20	48	467	704,601	398	44	50	325	608,533	319	79	1
23	12	20	47	464	705,044	443	44	48	353	608,888	355	88	1
24	20	20	46	464	705,553	509	44	50	300	609,304	416	93	1
25	12	20	48	458	705,969	416	44	50	334	609,639	335	81	1
26	20	25	49	462	706,413	444	43	50	330	609,995	356	88	1
27	15	28	50	454	706,856	443	44	52	346	610,334	339	104	1
28	12	22	48	455	707,311	455	43	50	361	610,689	355	100	1
29	14	22	48	473	707,770	459	43	50	301	611,049	360	99	1
30	12	20	48	456	708,285	515	43	50	349	611,444	395	120	1
31	16	20	48	465	708,686	401	43	50	351	611,766	322	79	1
Total						13,529					10,809	2,720	
Avg				451		451			337		360	91	
Min				413		350			299		284	66	
Max				473		558			374		447	120	

Day	Raw ^{*1}		Distribution Loop ^{*2}										
	S	TR	Supply				Return					2	Duty HL
	PSI	PSI	PSI	Flow m³/d	Read m³	Total m³	PSI	0°F	Flow m³/d	Read m³	Total m³		
1	20	25	48	450	709,169	483	42	48	312	612146	380	103	2
2	20	25	48	408	709,568	399	42	50	323	612468	322	77	2
3	20	23	46	458	709,984	416	42	50	266	612780	312	104	2
4	20	24	48	437	710,415	431	44	50	304	613090	310	121	2
5	20	25	49	427	710,855	440	44	50	313	613417	327	113	2
6	20	22	48	439	711,286	431	44	50	307	613730	313	118	2
7	20	20	48	422	711,737	451	43	50	323	614,074	344	107	2
8	20	24	47	442	712,163	426	42	50	305	614,406	332	94	2
9	20	24	47	443	712,584	421	42	52	291	614,714	308	113	2
10	20	24	48	454	713,016	432	42	50	308	615,026	312	120	2
11	16	20	47	453	713,516	500	44	50	305	615,450	424	76	2
12	23	23	48	446	713,925	409	44	50	318	615,712	262	109	2
13	22	24	47	473	714,366	441	42	50	333	616,052	340	101	2
14	18	22	46	463	714,783	417	43	50	392	616,404	352	65	1
15	19	20	48	479	715,128	345	43	50	255	616,659	255	90	2
16	19	20	47	467	715,535	407	43	50	342	616,969	310	97	2
17	18	20	47	456	715,987	452	43	50	328	617,348	379	73	2
18	19	22	48	474	716,458	471	42	50	313	617,971	623	-152	2
19	21	21	47	485	716,928	470	43	50	316	618,122	151	319	2
20	21	21	48	447	717,387	459	44	50	326	618,474	352	107	2
21	21	22	49	448	717,828	441	44	50	344	618,819	345	96	2
22	20	22	50	414	718,233	405	44	50	371	619,165	346	59	2
23	20	22	48	421	718,684	451	44	50	374	619,553	388	63	2
24	20	22	48	436	719,119	435	44	50	364	619,910	357	78	2
25	20	22	50	424	719,556	437	44	50	377	620,287	377	60	2
26	20	22	46	449	719,981	425	42	50	268	620,640	353	72	2
27	20	22	48	454	720,434	453	43	50	349	621,017	377	76	2
28	19	21	49	415	720,830	396	43	50	377	621,348	331	65	2
29	19	22	48	471	721,287	457	44	50	333	621,712	364	93	2
30	20	21	49	471	721,789	502	43	50	346	622,092	380	122	2
Total												10,326	2,739
												344	91
												151	-152
												623	319

Day	Raw ^{*1}		Distribution Loop ^{*2}										
	S	TR	Supply				Return					Station	Duty HL
	PSI	PSI	PSI	Flow m³/d	Read m³	Total m³	PSI	0°F	Flow m³/d	Read m³	Total m³	Use m³	
1	46	48	48	566	722,279	490	44	50	374	622492	380	110	1
2	16	19	52	476	722,792	513	44	50	386	622816	324	189	2
3	20	22	48	454	723,285	493		50	409	623238	422	71	2
4	26	30	48	447	723,677	392	48	50	385	623647	409	-17	2
5	25	26	51	381	724,050	373	50	50	374	623970	323	50	2
6	50	61	50	399	724,441	391		52	379	624352	382	9	2
7	20	21	50	420	724,892	451	44	50	360	624,785	433	18	2
8	18	18	51	411	725,272	380	44	50	379	625,132	347	33	2
9	20	18	50	399	725,698	426	44	50	372	625,529	397	29	2
10	18	20	48	462	726,095	397	44	50	350	625,875	346	51	2
11	18	20	48	454	726,552	457	43	50	343	626,230	355	102	2
12	18	20	49	428	726,942	390	44	50	349	626,539	309	81	2
13	18	20	49	419	727,369	427	44	50	348	626,891	352	75	2
14	18	20	47	425	727,828	459	43	50	346	627,273	382	77	2
15	18	20	47	414	728,235	407	42	50	349	627,614	341	66	2
16	18	20	48	420	728,673	438	44	50	369	627,987	373	65	2
17	18	20	49	416	729,066	393	43	50	368	628,329	342	51	2
18	18	20	47	461	729,500	434	43	50	353	628,694	365	69	2
19	18	20	50	443	729,903	403	44	50	361	629,004	310	93	2
20	18	20	50	471	730,360	457	49	50	361	629,386	382	75	2
21	18	20	49	466	730,846	486	44	50	340	629,763	377	109	2
22	18	20	45	438	731,293	447	42	50	344	630,121	358	89	2
23	18	20	47	437	731,739	446	45	50	363	630,470	349	97	2
24	18	20	47	443	732,175	436	45	50	356	630,817	347	89	2
25	18	20	50	434	732,564	389	44	50	353	631,159	342	47	2
26	18	20	50	431	732,997	433	44	50	359	631,516	357	76	2
27	18	20	49	422	733,422	425	44	50	354	631,873	357	68	2
28	18	20	47	405	733,843	421	43	50	347	632,233	360	61	2
29	18	20	49	405	734,277	434	44	45	353	632,597	364	70	2
30	18	20	50	414	734,861	584	44	42	391	633,092	495	89	2
31	18	20	50	401	735,116	255	44	44	358	633,316	224	31	2
Total						13,327					11,204	2,123	
Avg			434			430			362		361	68	
Min			381			255			340		224	-17	
Max			566			584			409		495	189	