



Modification Notification to Water Licence 8BC-EUR2131 at the Eureka High Arctic Weather Station

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Fri, Feb 18, 2022 at 11:28 AM

To: "Cloutier-Dussault, Jean-Philippe (EC  C)" <Jean-Philippe.Cloutier-Dussault@ec.gc.ca>

Cc: Richard Dwyer <richard.dwyer@nwb-oen.ca>, "Alix.Rive@tpsgc-pwgsc.gc.ca" <Alix.Rive@tpsgc-pwgsc.gc.ca>, "Huguet, Tyler" <tyler.huguet@aecom.com>, "Baker, Nadia" <Nadia.Baker@aecom.com>, "Mulholland,Greg (ECCC)" <greg.mulholland@ec.gc.ca>, "Radovan,Rock (ECCC)" <Rock.Radovan@ec.gc.ca>, Licensing Department <licensing@nwb-oen.ca>

Hello Jean-Philippe,

Thank you for submitting the requests for a modification and amendments of the licence.

In regards to the modification request, as discussed, the engineering drawings require the Engineer's stamp/signature (there are only permit-to-practice stamps on the drawings as of now). We can distribute as is, but stamped drawings will need to be submitted for Board review before construction may go ahead. It would speed up the process if the stamped versions are reviewed at the same time as the modification request.

As for the amendment request, I was wondering if there is an NPC determination for the construction of the trench? The wastewater plant construction was reviewed by the NPC and NIRB in 2021; however, there is no mention of the trench in the project proposal as reviewed then.

In addition, the requirement for engineering drawings to be stamped and signed by the Engineer concerns the amendment application as well.

Best regards,
Assol



Assol Kubeisinova - ᐱᕐᕐᕐ ᐃᐱᐃᕐᐅᕐ - she\her\elle

Technical Advisor- Conseiller technique

$\Delta b^{\text{sb}} \cdot$ Piluaqnaqtuliginigmun Ikayuoti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᐅᑦ ᐃᒪᑕᓗᑦ ᑲᑎᒪᔨᖅ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

00966A 119

▷^c▷^a▷^a, $\mathbf{m} \triangleright^c \mathbf{XOIB} \text{ IJO}$

Titigachovia 119

Udangtunga, NU, X013 110

Tel / Téléphone / ስልክ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ስልክ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᑦᐸᓄᓂᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]