



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

NPC's confirmation on increase of water withdrawal

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Thu, Nov 9, 2023 at 11:47 AM

To: "Cloutier-Dussault, Jean-Philippe (ECCC)" <Jean-Philippe.Cloutier-Dussault@ec.gc.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Hi Jean-Philippe,

Could you please share the NPC's confirmation that they agree with the increase in withdrawal from Blacktop and West Remus Creeks? Same as what we discussed in regards to SSTLs.

Best regards,
Assol



Assol Kubeisinova - ᐱᕐᕐᕐ ᐃᐱᐃᕐᐃᕐ - she\her\elle

Technical Advisor- Conseiller technique

[illegible]

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

၂၂၆၁၁၁ ၁၁၁

▷^c▷^a▷^a, $\mathfrak{m} \supset^c X013\ 110$

Titigacaqvia 119

Ughmugmug, NU, X0B 1J0

Tel / Téléphone / ጽሑፍ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ጽሑፍ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᑦᐸᓂᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email