



January 22, 2021  
NPC File No.: 149440

**Talia Maksagak**

Manager, Technical Administration  
Nunavut Impact Review Board (NIRB)  
P.O. Box 1360, Cambridge Bay, NU X0B 0C0  
By email: [tmaksagak@nirb.ca](mailto:tmaksagak@nirb.ca), [info@nirb.ca](mailto:info@nirb.ca)

**Richard Dwyer**

Manager of Licensing  
Nunavut Water Board (NWB)  
P.O. Box 119, Gjoa Haven, NU X0B 1J0  
By email: [richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)  
[licensing@nwb-oen.ca](mailto:licensing@nwb-oen.ca)

**Tracey McCaie**

Manager Land Administration  
Indigenous and Northern Affairs Canada (INAC)  
P.O. Box 100, Iqaluit, NU X0A 0H0  
By email: [tracey.mccaie@canada.ca](mailto:tracey.mccaie@canada.ca);  
[isa.qamaniq-mason@canada.ca](mailto:isa.qamaniq-mason@canada.ca)

**Jean-Philippe Cloutier-Dussault**

Environment Canada  
Eureka weather Station  
Montreal Québec H3C 4G8 Canada  
By email: [jean-philippe.cloutier-dussault@canada.ca](mailto:jean-philippe.cloutier-dussault@canada.ca); [robin.reese@aecom.com](mailto:robin.reese@aecom.com)

Dear Ms. Maksagak, Mr. Dwyer, Ms. McCaie, and Ms. Cloutier-Dussault:

**RE: NPC File # 149440 [Building Demolition and Temporary Camp at Eureka High Arctic Weather Station (HAWS), Amendment and Renewal of Water Licence and Extension of Quarry Permit]**

- **Related NPC File No.:** 148232 [Renewal of Eureka weather station Land use permit], 148241 [Eureka Weather Station Water Licence Renewal], 148746 [Amended Land Use Permit application for Eureka Weather Station].
- **Related NIRB File No.:** 11MN034; **Related NWB File No.:** 2 AM -MEL1631.
- **Location:** Qikiqtani Region; [Eureka, approximately 400 km North of Resolute Bay]

The following works and activities have been proposed in the above-noted project proposal:

1. Summary of project activities: Various activities at the Eureka HAWS. Activities include the demolition of some infrastructure, construction of temporary camps, renewal of a type B water license # No. 8B-EUR1621, and renewal of the current quarry permit. For clarity, the expansion or modification of the existing quarry site and the non-hazardous disposal facility are not included in this review as they will be submitted for review separately.
2. Summary Modifications to the original/amended project proposal: Increase the amount of trucked saline effluent.

A complete description of the project proposal reviewed by the NPC can be accessed online using the link below.

The Nunavut Planning Commission (NPC) has completed its review of the above noted project proposal. The NPC previously reviewed works and activities associated with the current proposal, including a type B water license and

the development of a quarry site. Conformity determinations were issued on December 17, 2010, April 19, 2012, April 14, 2016, and March 7, 2018. This conformity determination still applies. In addition, associated activities were previously screened by the Nunavut Impact Review Board (NIRB FILE NO.: 12XN020).

The NPC has determined that the above-noted project proposal is a significant modification to the project because it includes installing new temporary camps and bulk petroleum fuel storage facilities. It conforms to the North Baffin Regional Land Use Plan (NBRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, H, and I of the NBRLUP.

The above-noted project proposal requires screening by the NIRB under section 12.4.3 of the Nunavut Agreement as amended because it is for a component or activity that was not part of the original or previously amended proposal, and its inclusion is a significant modification of the project. By way of this letter, the NPC is forwarding the project proposal with this determination to the NIRB for screening. Project materials, including the applicable conformity requirements, are available at the following address:

<https://lupit.nunavut.ca/portal/project-dashboard.php?appid=149440&sessionid=>

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above-noted project proposal as submitted. Proponents may not carry out projects, and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 979-3444.

Sincerely,

A handwritten signature in black ink, appearing to read 'Goump Djalogue', with a stylized, cursive script.

Goump Djalogue  
Senior Planner, MCIP, RPP  
Nunavut Planning Commission