



## Cassel Kapolak

**Alexander Stubbing**

## Richard Dwyer

**Jared Ottenhof**

**Tracey McCaie**

## Jean-Philippe Cloutier-Dussault

Dear Cassel Kapolak, Richard Dwyer, Tracey McCaie, Alexander Stubbing, Jared Ottenhof, and Jean-Philippe Cloutier-Dussault:

**RE: NPC File No: 149859 [Landfarm, Solid Waste Non-Hazardous Facility, Water and Sewage Treatment Infrastructure Upgrades, Temporary Camp and Amendment of Water Licence, for the Eureka High Arctic Weather Station]**

The following works and activities have been proposed in the above-noted project proposal:

1. An amendment of the existing Type B Water License No. Type B Water Licence No. 8BC-EUR2131 is being requested due to increase of water use to fill the reservoir.
2. Related NPC File Nos: 149476, 149587, 148232, 148241, 148746, 149440, 149457; NIRB File Nos. 12XN020, 21QN005, 21XN012, 21UN002; NWB File No. 8BC-EUR2131.
3. Summary of modification: Increase of water use to fill the reservoir to up to 2000 m3/day for over 10 days.
4. Location: Qikiqtani Region [Eureka, approximately 400 km North of Resolute Bay]

በጥቅምት 2101  
 ልዩ ኃይል ልዩ ልዩ ልዩ ልዩ  
 ልዩ ኃይል 867-983-4625  
 ልዩ ኃይል 867-983-4626

P.O. Box 2101  
Cambridge Bay, NU X0B 0C0  
867-983-4625  
867-983-4626

P.O. Box 2101  
Ikaluktutiak, NU X0B 0C0  
☎ 867-983-4625  
📠 867-983-4626

A complete description of the project proposal reviewed by the NPC can be accessed online using the link below.

The Nunavut Planning Commission (NPC) has completed its review of the above noted project proposal. The NPC previously reviewed works and activities associated with the current proposal, including including a Type B water license and the development of a quarry site and conformity determination issued on December 17, 2010, January 6, 2011, April 14, 2016, March 7, 2018, January 22, 2021, February 9, 2021, February 22, 2021, and on November 2, 2021. This conformity determination still applies. In addition, associated activities were previously screened by the Nunavut Impact Review Board (NIRB File Nos.: 12XN020, 21QN005, 21XN012 & 21UN002).

The NPC has determined that the above-noted project proposal is a significant modification to the project because include the increase of daily water use requiring a Type A water license. It conforms to the North Baffin Regional Land Use Plan (NBRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, H, and I of the NBRLUP.

The above-noted project proposal requires screening by the NIRB under section 12.4.3 of the Nunavut Agreement as amended because it is for a component or activity that was not part of the original or previously amended proposal and its inclusion is a significant modification of the project.

By way of this letter, the NPC is forwarding the project proposal with this determination to the NIRB for screening. Project materials, including the applicable conformity requirements, are available at the following address:  
<https://lupit.nunavut.ca/portal/project-dashboard.php?appid=149859&sessionid=>

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above noted project proposal as submitted. Proponents may not carry out projects and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 979-3444.

Sincerely,

A handwritten signature in black ink, appearing to read "Goump Djalogue". The signature is fluid and cursive, with the first name "Goump" and last name "Djalogue" clearly distinguishable.

Goump Djalogue, MCIP, RPP  
Manager Planning and Implementation  
Nunavut Planning Commission