



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

**Eureka High Arctic Weather Station Environment Climate Change Canada water
licence amendment application 8BC-EUR2131**

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Thu, May 12, 2022 at 2:05 PM

To: "Zhong, David" <david.zhong@rcaanc-cirnac.gc.ca>, "Keim, Andrew" <andrew.keim@rcaanc-cirnac.gc.ca>, "Pasalic, Omer" <omer.pasalic@rcaanc-cirnac.gc.ca>, Wajid Daouda <Wajid.Daouda@tpsgc-pwgsc.gc.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>, Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board requests a response by May 19, 2022 whether or not the attached response addresses comments.

Regards,

Richard



Richard Dwyer - ʀɪˈtʃɪd ˈdwaɪə - he\him\his

Manager of Licensing- Responsable des permis

ᐃᑦᓴᓂᐅ ᐱᐃᓕᓂᐅ^ᔭ Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᓂᑎᓕᓂᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

၂၂၆၆၆၆ ၁၁၁

▷¹▷²▷³▷⁴▷⁵▷⁶▷⁷▷⁸▷⁹▷¹⁰▷¹¹▷¹²▷¹³▷¹⁴▷¹⁵▷¹⁶▷¹⁷▷¹⁸▷¹⁹▷²⁰▷²¹▷²²▷²³▷²⁴▷²⁵▷²⁶▷²⁷▷²⁸▷²⁹▷³⁰▷³¹▷³²▷³³▷³⁴▷³⁵▷³⁶▷³⁷▷³⁸▷³⁹▷⁴⁰▷⁴¹▷⁴²▷⁴³▷⁴⁴▷⁴⁵▷⁴⁶▷⁴⁷▷⁴⁸▷⁴⁹▷⁵⁰▷⁵¹▷⁵²▷⁵³▷⁵⁴▷⁵⁵▷⁵⁶▷⁵⁷▷⁵⁸▷⁵⁹▷⁶⁰▷⁶¹▷⁶²▷⁶³▷⁶⁴▷⁶⁵▷⁶⁶▷⁶⁷▷⁶⁸▷⁶⁹▷⁷⁰▷⁷¹▷⁷²▷⁷³▷⁷⁴▷⁷⁵▷⁷⁶▷⁷⁷▷⁷⁸▷⁷⁹▷⁸⁰▷⁸¹▷⁸²▷⁸³▷⁸⁴▷⁸⁵▷⁸⁶▷⁸⁷▷⁸⁸▷⁸⁹▷⁹⁰▷⁹¹▷⁹²▷⁹³▷⁹⁴▷⁹⁵▷⁹⁶▷⁹⁷▷⁹⁸▷⁹⁹▷¹⁰⁰▷¹⁰¹▷¹⁰²▷¹⁰³▷¹⁰⁴▷¹⁰⁵▷¹⁰⁶▷¹⁰⁷▷¹⁰⁸▷¹⁰⁹▷¹¹⁰▷¹¹¹▷¹¹²▷¹¹³▷¹¹⁴▷¹¹⁵▷¹¹⁶▷¹¹⁷▷¹¹⁸▷¹¹⁹▷¹²⁰▷¹²¹▷¹²²▷¹²³▷¹²⁴▷¹²⁵▷¹²⁶▷¹²⁷▷¹²⁸▷¹²⁹▷¹³⁰▷¹³¹▷¹³²▷¹³³▷¹³⁴▷¹³⁵▷¹³⁶▷¹³⁷▷¹³⁸▷¹³⁹▷¹⁴⁰▷¹⁴¹▷¹⁴²▷¹⁴³▷¹⁴⁴▷¹⁴⁵▷¹⁴⁶▷¹⁴⁷▷¹⁴⁸▷¹⁴⁹▷¹⁵⁰▷¹⁵¹▷¹⁵²▷¹⁵³▷¹⁵⁴▷¹⁵⁵▷¹⁵⁶▷¹⁵⁷▷¹⁵⁸▷¹⁵⁹▷¹⁶⁰▷¹⁶¹▷¹⁶²▷¹⁶³▷¹⁶⁴▷¹⁶⁵▷¹⁶⁶▷¹⁶⁷▷¹⁶⁸▷¹⁶⁹▷¹⁷⁰▷¹⁷¹▷¹⁷²▷¹⁷³▷¹⁷⁴▷¹⁷⁵▷¹⁷⁶▷¹⁷⁷▷¹⁷⁸▷¹⁷⁹▷¹⁸⁰▷¹⁸¹▷¹⁸²▷¹⁸³▷¹⁸⁴▷¹⁸⁵▷¹⁸⁶▷¹⁸⁷▷¹⁸⁸▷¹⁸⁹▷¹⁹⁰▷¹⁹¹▷¹⁹²▷¹⁹³▷¹⁹⁴▷¹⁹⁵▷¹⁹⁶▷¹⁹⁷▷¹⁹⁸▷¹⁹⁹▷²⁰⁰▷²⁰¹▷²⁰²▷²⁰³▷²⁰⁴▷²⁰⁵▷²⁰⁶▷²⁰⁷▷²⁰⁸▷²⁰⁹▷²¹⁰▷²¹¹▷²¹²▷²¹³▷²¹⁴▷²¹⁵▷²¹⁶▷²¹⁷▷²¹⁸▷²¹⁹▷²²⁰▷²²¹▷²²²▷²²³▷²²⁴▷²²⁵▷²²⁶▷²²⁷▷²²⁸▷²²⁹▷²³⁰▷²³¹▷²³²▷²³³▷²³⁴▷²³⁵▷²³⁶▷²³⁷▷²³⁸▷²³⁹▷²⁴⁰▷²⁴¹▷²⁴²▷²⁴³▷²⁴⁴▷²⁴⁵▷²⁴⁶▷²⁴⁷▷²⁴⁸▷²⁴⁹▷²⁵⁰▷²⁵¹▷²⁵²▷²⁵³▷²⁵⁴▷²⁵⁵▷²⁵⁶▷²⁵⁷▷²⁵⁸▷²⁵⁹▷²⁶⁰▷²⁶¹▷²⁶²▷²⁶³▷²⁶⁴▷²⁶⁵▷²⁶⁶▷²⁶⁷▷²⁶⁸▷²⁶⁹▷²⁷⁰▷²⁷¹▷²⁷²▷²⁷³▷²⁷⁴▷²⁷⁵▷²⁷⁶▷²⁷⁷▷²⁷⁸▷²⁷⁹▷²⁸⁰▷²⁸¹▷²⁸²▷²⁸³▷²⁸⁴▷²⁸⁵▷²⁸⁶▷²⁸⁷▷²⁸⁸▷²⁸⁹▷²⁹⁰▷²⁹¹▷²⁹²▷²⁹³▷²⁹⁴▷²⁹⁵▷²⁹⁶▷²⁹⁷▷²⁹⁸▷²⁹⁹▷³⁰⁰▷³⁰¹▷³⁰²▷³⁰³▷³⁰⁴▷³⁰⁵▷³⁰⁶▷³⁰⁷▷³⁰⁸▷³⁰⁹▷³¹⁰▷³¹¹▷³¹²▷³¹³▷³¹⁴▷³¹⁵▷³¹⁶▷³¹⁷▷³¹⁸▷³¹⁹▷³²⁰▷³²¹▷³²²▷³²³▷³²⁴▷³²⁵▷³²⁶▷³²⁷▷³²⁸▷³²⁹▷³³⁰▷³³¹▷³³²▷³³³▷³³⁴▷³³⁵▷³³⁶▷³³⁷▷³³⁸▷³³⁹▷³⁴⁰▷³⁴¹▷³⁴²▷³⁴³▷³⁴⁴▷³⁴⁵▷³⁴⁶▷³⁴⁷▷³⁴⁸▷³⁴⁹▷³⁵⁰▷³⁵¹▷³⁵²▷³⁵³▷³⁵⁴▷³⁵⁵▷³⁵⁶▷³⁵⁷▷³⁵⁸▷³⁵⁹▷³⁶⁰▷³⁶¹▷³⁶²▷³⁶³▷³⁶⁴▷³⁶⁵▷³⁶⁶▷³⁶⁷▷³⁶⁸▷³⁶⁹▷³⁷⁰▷³⁷¹▷³⁷²▷³⁷³▷³⁷⁴▷³⁷⁵▷³⁷⁶▷³⁷⁷▷³⁷⁸▷³⁷⁹▷³⁸⁰▷³⁸¹▷³⁸²▷³⁸³▷³⁸⁴▷³⁸⁵▷³⁸⁶▷³⁸⁷▷³⁸⁸▷³⁸⁹▷³⁹⁰▷³⁹¹▷³⁹²▷³⁹³▷³⁹⁴▷³⁹⁵▷³⁹⁶▷³⁹⁷▷³⁹⁸▷³⁹⁹▷⁴⁰⁰▷⁴⁰¹▷⁴⁰²▷⁴⁰³▷⁴⁰⁴▷⁴⁰⁵▷⁴⁰⁶▷⁴⁰⁷▷⁴⁰⁸▷⁴⁰⁹▷⁴¹⁰▷⁴¹¹▷⁴¹²▷⁴¹³▷⁴¹⁴▷⁴¹⁵▷⁴¹⁶▷⁴¹⁷▷⁴¹⁸▷⁴¹⁹▷⁴²⁰▷<

Titigachquia 119

Ughmugmg, NU, X0B 110

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᑦᐸᓂᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]



220512 8BC-EUR2131 Applicant Response CIRNAC Review-IMLE.pdf

432K