



NWB Tools

Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

## ECCC Eureka HAWS Regulatory Project - Planned site activities for the Landfarm project this fiscal year (8BC-EUR2131)

Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

Mon, Nov 27, 2023 at 1:01 PM

Draft To: Karén Kharatyan &lt;karen.kharatyan@nwb-oen.ca&gt;

**From:** Karén Kharatyan <karen.kharatyan@nwb-oen.ca>**Sent:** Sunday, November 19, 2023 6:51 PM**To:** Cloutier-Dussault, Jean-Philippe (ECCC) <Jean-Philippe.Cloutier-Dussault@ec.gc.ca>**Subject:** Re: ECCC Eureka HAWS Regulatory Project - Planned site activities for the Landfarm project this fiscal year (8BC-EUR2131)

Hi Jean-Pierre,

As Assol is not anymore with the NWB I am trying to catch up with some of her files. Hopefully, you could help me with the following questions:

1. At which stage we are with the construction of Landfarm stated in your email above? Whether this will be a Landfarm to replace the existing/previous landfarm or an additional Landfarm? I am trying to understand the Landfarm situation generally at site as the document "Eureka Sampling Procedure Standard Operating Procedure Water and Sewage Sampling" that was part of amendment application also states for Effluent discharge from Landfarm: *"Collection of sample not performed due to construction of the New Water Lagoon at this location"*.
2. What is the "New Water Lagoon" stated above and being constructed at the landfarm location?
2. Whether the "Soil Treatment Facility Area" (SFTA) stated in your email and the "Temporary Contaminated Soil Storage" stated throughout the amendment application are the same things?
3. What was the outcome of discussions regarding amending the current licence term D16 to replace the CCME Guidelines for treated soil by Site-Specific Target Levels as outlined in Remedial Action Plan?
4. The current licence includes a definition for a Fuel Storage and Transfer Area, however, for some reasons we did not previously include a Monitoring Station and criteria list for the Effluent discharged from the tankfarm. I am wondering on what ECCC is doing with water/runoff from tankfarm containment?
5. From my understanding, upon completion of the new Wastewater Treatment Plant (WWTP) the sewage lagoon will become a "Wastewater Retention Pond" for treated sewage discharge from WWTP, correct or not? If this is the case, will the Final Discharge Point be after the Wastewater Retention Pond" or is ECCC planning to discharge treated sewage directly from WWTP as well?
6. Whether sludge removal activities are planned before the lagoon becomes a " Wastewater Retention Pond" (if my undertsanding was correct)?



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

- Landfarm construction is anticipated to begin September 4, 2023 or upon approval of the IFC drawings. In preparation for landfarm construction, ECCC is seeking authorization to proceed with the following early works (prior to September 4th) as per licence condition 20:

Environnement et Changement climatique Canada / Gouvernement du Canada  
[jean-philippe.cloutier-dussault@ec.gc.ca](mailto:jean-philippe.cloutier-dussault@ec.gc.ca) / Tél. : 514-641-8753

Property Manager, Assets, Real Property and Security Directorate

Environment and Climate Change Canada / Government of Canada  
[jean-philippe.cloutier-dussault@ec.gc.ca](mailto:jean-philippe.cloutier-dussault@ec.gc.ca) / Tel. : 514-641-8753