



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File: **3BC-EUR0611/PTR**

November 2, 2010

Mr. Carl Carroll
Property Management Division
Environment Canada
335 River Road
Ottawa ON K1V 1C7
Lac Du Bonnet, MB R0E 1A0

E-mail: carl.carroll@ec.gc.ca

**Subject: Licence No. 3BC-EUR0611 “Eureka Weather Station” Project;
Renewal Application**

Dear Mr. Carroll;

The Nunavut Water Board (“NWB”) received on October 8, 2010 the renewal application for the Water Licence No. 3BC-EUR0611. The following Plans are included with the application:

- a. Oil Pollution Emergency Plan for Land Spills;
- b. Summary of Operations and Maintenance Procedures for Drinking Water, Sewage, Solid Waste Disposal and Waste Treatment Facilities;
- c. Interim Abandonment and Restoration Plan;
- d. Sludge Disposal Plan;
- e. Quality Assurance & Quality Control Program;

NWB has completed a preliminary technical review of the application. It was noticed that the Interim Abandonment and Restoration and Sludge Disposal Plans are the same as presented for the Board approval on March 17, 2009. The technical review of these plans was completed on September 13, 2010 and identified some issues to be addressed. The Licensee was requested to revise the plans and re-submit for approval. However, the plans have not been modified.

NWB would like to receive some clarifications about these plans before the final technical review of the application.

Should you have any questions, please feel free to contact the undersigned at (867) 360-6338 (ext. 30) or k.kharatyan@nunavutwaterboard.org , at your earliest convenience.

Yours truly,

Karén Kharatyan
Technical Advisor

cc: Distribution List – Qikiqtani