

From: Phyllis Beaulieu
To: "Alice Baker"; "Arctic Bay HTO"; "Bill Westwell (BWestwell@gov.nu.ca)"; "Cape Dorset HTO"; "City of Igaluit"; "Clyde River HTO"; "Dave Hohnstein "; "DFO Amy Liu"; "DFO David Balint"; "DFO Eric Kan"; "DFO Gary Cooper"; "DFO George Fenn"; "DFO Jane Tymoshuk"; "DFO Loriena Melnick"; "DFO Nicola Johnson"; "DFO Sarah Olivier"; "Don Carr"; "EC Environment Canada"; "GN-CGS Patricio Fuentes"; "GN-CLEY Julie Ross"; "GN-DOE Allison Loder"; "GN-DOE Dee Karadag"; "GN-DOE Froydis Reinhart"; "GN-DOE Robert Eno"; "GN-HSS Peter Workman"; "Grise Fiord HTO"; "Hall Beach HTO"; "Hamlet of Arctic Bay"; "Hamlet of Cape Dorset"; "Hamlet of Clyde River"; "Hamlet of Grise Fiord"; "Hamlet of Hall Beach"; "Hamlet of Igloolik"; "Hamlet of Kimmirut"; "Hamlet of Pangnirtung"; "Hamlet of Pond Inlet"; "Hamlet of Qikiqtaaluk"; "Hamlet of Resolute Bay"; "Hamlet of Sanikiluaq"; "HTO Igloolik"; "HTO Pond Inlet"; "HTO Qikiqtaaluk"; "HTO Resolute Bay"; "HTO Sanikiluaq"; "Ian Parsons "; "INAC Andrea Cull"; "INAC Andrew Keim"; "INAC David Abernethy"; "INAC Jeff Mercer"; "INAC Peter Kusugak"; "INAC Spencer Dewar"; "INAC Tanya Trenholm"; "Karlette Tunaley "; "Ken Klassen"; "Kimmirut HTO"; "LouAnn Cornacchio "; "Mike Mifflin"; "NIRB Info"; "NIRB Ryan Barry"; "NIRB Sophia Granchinho"; "NPC Annie Ollie"; "NPC Bobby Suluk"; "NPC Brian Aglukark"; "NPC Conformity"; "NPC Jayko Aloooho"; "NPC Tommy Owljoot"; "NTI Carson Gillis"; "NTI George Hakongak"; "NTI Jeannie Ehaloak"; "NTI Keith Morrison"; "NWMB Charlotte Sharkey"; "NWMB Paul Frame"; "Pangnirtung HTO"; "PC Jane Chisholm"; "QIA Matthew Akavak"; "QIA Salamonie Shoo"; "QIA Stephen Bathory"; "QIK Health Wanda Joy"; "Rosemary Kilpatrick"; "Roy Green "; "Roy Bhabesh"; "Rumbolt, Ian"; "Steve Lines"
Subject: 100217 3BC-BAF0919 Sewage Disposal Update - Request for Review and Comments
Date: Wednesday, February 17, 2010 1:36:00 PM
Attachments: 100216 3BC-BAF0919 SDU Distributed for info-OMLE.pdf
100129 3BC-BAF0919 Sewage Disposal Update-IMLE.doc

On February 16, 2010 the attached was forwarded to you for information. However, in reviewing the terms and conditions of the current licence (D1) it was noted that this sewage disposal update requires Board approval and as such the Nunavut Water Board is requesting review and comments be provided. Please consider this email as an official request to provide comments on or prior to March 19, 2010.

Regards,

Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU X0B 1J0
Phone: (867) 360-6338, Ext. 26
Fax: (867) 360-6369
Email: licensing@nunavutwaterboard.org