

**NWB Tools****Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>**

[Licensing] 3BC-CAM0919 Amendment Application

1 message

Sonia Aredes <sonia.aredes@nwb-oen.ca>

Fri, Apr 10, 2015 at 11:17 AM

To: Ian.creighton3@forces.gc.ca, Licensing Department <licensing@nwb-oen.ca>

Good afternoon,

I am the Technical Advisor assigned to this file. A preliminary technical review has identified deficiencies that have to be addressed before the Application can be processed; issues identified and information required are detailed below:

Issue No.1: Block 2 of Application Form (Licensee Representative Contact Information)

The authorization letter confirming that the Licensee representative is NWS Facilities Manager was not submitted.

information required: Authorization Letter.

Issue No.2: 2012 Annual Report – Certificate of Analysis (September & October)

- The pH of the sewage effluent as reported in Analysis's Certificate of September 2012 is equal to 5.4. This value is outside of the accepted range of pH values (6 to 9), as set under Part D, Item 9 of the 3BC-CAM0914.

Information required:

Detail any remedial measures employed regarding the acidic effluent;

Inform the date on which the Inspector was notified of this issue.

- The Analysis's Certificate of the sewage effluent of October 2012 is missing

Information required: Certificate of Analysis of October 2012.

If you have questions about my request, please contact me by phone at **867-979-3079** or by email at sonia.aredes@nwb-oen.ca

Regards

Sonia Aredes



Sonia Areedes, P.Eng. - հՀՀ ՀՀՀ

Technical Advisor- Conseillère Technique

**NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓇᓱᐊᓘ ልਲ-ᓘᒪ ህᓱᒪᒪ - NUNAVUT IMALIRIYIN KATIMAYINGI**

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

Titigaqqaqvia 119
Uqhiqthimq, NU, X0B 1J0

Tel / Téléphone / 1-866-444-1414 / Hivayauta: (867) 360-6338 | Fax / Télécopieur / 1-866-444-1414 / Fax-kut: (867) 360-6369
Toll Free / Sans Free / 1-800-263-7960 / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer

L'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email