



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Amendment Application DYE-M, North Warning System Long Range Radar Site, Cape Dyer for water licence 8BC-DYE1929

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Wed, Feb 2, 2022 at 2:52 PM

To: WILLIAM.WYMAN@forces.gc.ca, "Leslie, Alaina" <Alaina.Leslie@raytheon.com>, "Beattie, Don" <don.beattie@raytheon.com>, "Berube, Jeremie" <Jeremie.Berube@raytheon.com>

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good afternoon,

Please find attached Department of National Defence Amendment Application for DYE-M, North Warning System Long Range Radar Site, Cape Dyer, Nunavut. It can also be found at the link below:

<ftp://ftp.nwb-oen.ca/registry/8%20MISCELLANEOUS/8B/8BC%20-%20Camp/8BC-DYE1929%20%28DYE-M%29/1%20APPLICATION/2022%20Amendment>

Parties are invited to submit comments by **March 4, 2022**.

The Nunavut Water board is aware that a number of web browsers are no longer supporting File Transfer Protocol (ftp). If you are having difficulty accessing our FTP site you may need to download an FTP application. We have been recommending the FileZilla Client below to access the files, which is a free and open source application. A link can be found below:

<https://filezilla-project.org/>

Regards,

Richard



Richard Dwyer - ʀɪˈtʃəd ˈdwaɪə - he\him\his

Manager of Licensing- Responsable des permis

<D>C'N? CΔYCNσ⁸J^C Mariyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐱᓚᓕᓂᓪ ᑲᑎᓚᓂᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

በበኛዬልሂ 119

▷^c▷^a▷^a, $\mathbb{M}^c$ X013 110

Titigachovia 119

Udmaning, NU, X013 110

Tel / Téléphone / ስልክ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ስልክ-ፍጅ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᓂᑦᐸᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

16 attachments



220120 8BC-DYE1929 2018-10-25 NPC letter re 148956-DYE-M Cape Dyer Water Licence Renewal-IMLE.pdf
366K



220120 8BC-DYE1929 DYE-M Executive Summary-IMLE.pdf

164K

**220120 8BC-DYE1929 181220-03DN124-Screening Decision Report for TC-OT8E.pdf**
929K**220120 8BC-DYE1929 Berm Water QAQC Plan-IMLE.pdf**
1293K**220120 8BC-DYE1929 DYE-M Application for Water Licence Amendment-IMLE.pdf**
1383K**220120 8BC-DYE1929 DYE-M Landfarm Plan&Design-IMLE.pdf**
781K**220120 8BC-DYE1929 Exploration Remote Camp Questionnaire-IMLE.pdf**
219K**220120 8BC-DYE1929 NWB Licence Compliance Assessment 2021-IMLE.pdf**
275K**220120 8BC-DYE1929 2019 Inspection Report-IMLE.pdf**
2087K**220120 8BC-DYE1929 Sewage Disposal Plan-IMLE.pdf**
163K**220120 8BC-DYE1929 DYE-M Site Description + Site Plan-IMLE.pdf**
1691K**220120 8BC-DYE1929 REV 10 Spill Contingency Plan (16.F.3.b)-IMLE.pdf**
1193K**220120 8BC-DYE1929 DYE-M NTS Map-IMLE.pdf**
2754K**220202 8BC-DYE1929 Amendment Application Dist-OMLE.pdf**
127K**220202 8BC-DYE1929 Amendment Application notice-OBAS.pdf**
159K**220202 8BC-DYE1929 Amendment Application Notice-OMLE.pdf**
157K