



Water Resources Division  
Resource Management Directorate  
Nunavut Regional Office  
P.O. Box 100  
Iqaluit, NU, X0A 0H0

Your file - Votre référence  
8BC-DYE1929  
Our file - Notre référence  
GCDocs#101377794

March 04, 2022

Mr. Richard Dwyer  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU, X0B 1J0  
E-mail: [licensing@nwb-oen.ca](mailto:licensing@nwb-oen.ca)

**Re: Crown-Indigenous Relations and Northern Affairs Canada's Review of  
Department of National Defence's Water Licence 8BC-DYE1929 Amendment  
Application for the DYE-M, North Warning System Long Range Radar Site, Cape  
Dyer, Nunavut.**

Dear Mr. Dwyer,

Thank you for the February 02, 2022 invitation to review the above-referenced licence amendment application, submitted by the Department of National Defence, for its Type B Water Licence 8BC-DYE1929.

Crown-Indigenous Relations and Northern Affairs Canada, pursuant to its mandated responsibilities under the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* and the *Department of Crown-Indigenous Relations and Northern Affairs Act*, examined the amendment application and has no comment to provide to the Nunavut Water Board at this time.

If there are any questions or concerns, please contact me at [david.zhong@rcaanc-circnac.gc.ca](mailto:david.zhong@rcaanc-circnac.gc.ca) or Vincent Okonkwo at [vincent.okonkwo@rcaanc-circnac.gc.ca](mailto:vincent.okonkwo@rcaanc-circnac.gc.ca).

Sincerely,

David Zhong,  
Regulatory & Science Advisor