

## **Compliance Plan - Follow Up on 2019 Inspection Report**

**Last Inspection Year:** 2019

**Reference:** Aboriginal Affairs and Northern Development Canada, Water Licence Inspection July 11, 2019.

### **A. Background**

CFS Eureka was inspected by the Canadian Indigenous Relations and Northern Affairs Canada (CIRNAC) Inspector on July 11, 2019. This Compliance Plan will outline how DND (8 Wing/CFB Trenton – Environmental Management) have strived to work towards compliance and continuing effort in addressing deficiencies at CFS Eureka.

### **B. Identified Deficiencies**

1) Landfill: “DND eureka station is authorized by the water licence to operate a landfill including a burn pan authorizing open burning of food waste, non-treated wood, and cardboard. The landfill appears to be operating as intended, however it was noted that plastics and metals were in the burn pan mixed with ash and food waste. This is a violation of the Water Licence Part D Item 4.” DND Response: Environment and Climate Change Canada (ECCC) and DND will work together to ensure the only approved items, as specified in the Eureka Water Licence, are burned in the burn pan.

### **C. DND’s Response**

DND will issue administrative directions and continue to provide internal regulatory oversight to all military operations using CFS Eureka for compliance to the established water licence conditions. DND will continue to collaborate with ECCC on the mutual usage and management of this landfill facility.

### **D. Notes**

Please note that the summer works period at CFS Eureka is constrained to 2-4 weeks (June only). The ability to visit the site and conduct work is highly dependant on logistics, flight availability, and weather.