



P.O. Box 119  
GJOA HAVEN, NT X0E 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369  
KATIMAYINGI

NUNAVUT WATER BOARD  
NUNAVUT IMALIRIYIN

---

---

# Memo

**To:** Distribution

**From:** Dionne Filiatrault, Technical Advisor

**Subject: NWB4EUR9904 - Environment Canada - Study of the Wastewater and Water Supply Systems at the Eureka Weather Stn.**

**Date:** June 08, 2000

Enclosed for your review is a copy of the report titled, **“Study of the Wastewater and Water Supply Systems at the Eureka Weather Station (Smith, Nahir)”**, received April 20, 2000 submitted by Environment Canada to the NWB in compliance with Part C, Item 6 and Part D, Item 8 of their current water licence.

The NWB would like to ensure a broad thorough review is performed of all plans submitted to the Board and is requesting your assistance in the review of the for mentioned document and would appreciate receiving any comments and recommendations by **July 31, 2000**.

If you have any concerns or questions, please do not hesitate to contact me at 867-360-6338 or by fax 867-360-6369 or e-mail [dionne@polarnet.ca](mailto:dionne@polarnet.ca)

---

Dionne Filiatrault  
Technical Advisor

**Distribution List**

Note: DIAND, EC, and DSD previously received document through regular distribution  
Roxanne Beavers, DIAND  
Philippe Lavallee, DIAND  
Chris Nichols, DSD  
Anne Wilson, EC

Jordan Degroot, DFO (Document Enclosed)