



P.O. Box 119  
 GJOA HAVEN, NU X0B 1J0  
 TEL: (867) 360-6338  
 FAX: (867) 360-6369

ᓇᓱᐊᑦ ሐᓚᓱᐊ៥ ኔᓪ៥  
**NUNAVUT WATER BOARD**  
**NUNAVUT IMALIRIYIN TIMAYINGI**

**File No: NWB6SHE0409**

June 17, 2004

Sam Cheng  
 Supervisor, Environmental Services  
 Nasittuq Corporation  
 Suite 100, 170 Laurier Avenue W.  
 Ottawa, ON K1P 5V5  
 Email: [sam.cheng@nasittuq.com](mailto:sam.cheng@nasittuq.com)

**Subject: CAM-3 Tower Painting**

Dear Mr. Cheng:

The Nunavut Water Board (NWB) has been advised by Environment Canada of recent correspondence from Nasittuq Corporation to Mr. Sid Bruinsma (Inspector, Nunavut Region), dated March 24, 2004. This correspondence relates to proposed activities to be undertaken by Nasittuq Corporation during the repainting of the radar tower at the CAM-3 DEW Line site. In this proposal, the use of water during high-pressure paint stripping operations designed to remove lead-based paint from radar tower, as well as the potential deposition of waste into water, are described.

As the proposed activity was not contemplated in your recent application for a water license, nor approved in the terms and conditions of water license NWB6CAM0409, an amendment to your current water license will be required. You are asked to forward to the NWB the following, at your earliest convenience:

- NWB water license application form;
- A detailed description of the undertaking, including the volumes of water required;
- A Spill Contingency Plan, which addresses mitigation of potential releases of material during paint removal operations; and
- A summary description of the proposed undertaking, in both English and Inuktitut.

Please be advised that your application is exempt from the standard license application fee.

I look forward to receiving the above described information. Should you have any questions, please feel free to contact me at 867-983-2214, or by email at [tech1@nwb.nunavut.ca](mailto:tech1@nwb.nunavut.ca) .

Sincerely,

***Original signed by:***

Jim Wall  
 Technical Advisor (Municipal)