

$\sigma^2 \propto \frac{1}{n}$ $\Delta L \propto \sqrt{n}$

𐤌𐤁𐤁𐤁: NWB6BAF0409 – Type “B”
 NWB6DYE0409 – Type “B”
 NWB6FOD0409 – Type “B”
 NWB6FOH0409 – Type “B”
 NWB6SHE0409 – Type “B”
 NWB6CAM0409 – Type “B”

21 12 2005



[illegible]

௨௮௩: NWB6BAF0409 – Type “B”
 NWB6DYE0409 – Type “B”
 NWB6FOD0409 – Type “B”
 NWB6FOH0409 – Type “B”
 NWB6SHE0409 – Type “B”
 NWB6CAM0409 – Type “B”

ወይም ለረቀቅ የሚገኝ ስርዓት: NWB6SHE0409 - Type "B"
የሆኑት ለ - የሚገኙት ስርዓት ለሚገኙት - ከ 3

በዚህ ምርመራ ላይ የተጠቀሱት ሰነዶች ለጥያቄው የሚያስፈልጉትን ማረጋገጫ ሰነዶች አይሰጡም፡፡ ስለዚህም የጥያቄው ማረጋገጫ ሰነዶች ለጥያቄው የሚያስፈልጉትን ማረጋገጫ ሰነዶች አይሰጡም፡፡

$$\Delta L^{\epsilon_1 \Gamma^b} \triangleleft \mathcal{D}^{\epsilon_1 b} \rho_{\sigma^{\epsilon_1 b}} \triangleleft L_{\perp} \triangleleft b^{\epsilon_1 \epsilon_1 b} \mathcal{C} \mathcal{D} \triangleright \mathcal{L} \triangleleft \epsilon_1^{\epsilon_1 b} \mathcal{D}^{\epsilon_1 b} \triangleleft b^{\epsilon_1 \epsilon_1 b} \mathcal{D}^{\epsilon_1 b} \mathcal{C}$$
[illegible][illegible]

2004

የጽሑፍ	ፊርማ
205 ራርካ ፍርርጋኝ 23-ጥቅምት 2013	ፊርማ
205 ራርካ ፍርርጋኝ 4-ጥቅምት 2013	ፊርማ
205 ራርካ ፍርርጋኝ 1-ጥቅምት 2013	ፊርማ ለፊርማ ለፊርማ
ፊርማ 1-ጥቅምት 2013	ፊርማ, ፊርማ ፊርማ
ፊርማ 1-ጥቅምት 2013	ፊርማ ፊርማ ፊርማ ፊርማ, ፊርማ

INTERNAL	
PC	ch?
MA	
FO	
LA	

ED	
Ch	
BRD	
EXT.	

$$\Gamma \triangleleft \sigma \cup \sigma^c \rfloor^c \quad \wedge \sigma \cup \Pi^c \Pi^b \triangleleft \sigma \triangleright \triangleleft^b$$
[illegible]

ԴԵՏԸՆԴՐԸ ԺԱՅԵՐԵԼԸՆԸ

[illegible]

Nunavut Water Board
APR 15 2005
Public Registry

