NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

8BC-CAM1929, 8BC-SHE1929 2023 Annual Reports and Revised Spill Plan

Richard Dwyer <richard.dwyer@nwb-oen.ca> Wed, Mar 27, 2024 at 10:20 AM
To: William Wyman <WILLIAM.WYMAN@forces.gc.ca>
Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>

Good morning,

The Nunavut Water Board acknowledges receipt March 26, 2023 of the attached annual reports, submitted with the annual reports is a revised spill plan that applies to all water licences. The reports may also be found at the following links:

8BC-CAM1929
ftp://ftp.nwb-oen.ca/registry/8%20MISCELLANEOUS/8B/8BC%20-%20Camp/8BC-CAM1929%20%28CAM-M%29/3%20TECH/B%20GENERAL/2%20ANNUAL%20RPT

8BC-SHE1929
ftp://ftp.nwb-oen.ca/registry/8%20MISCELLANEOUS/8B/8BC%20-%20Camp/8BC-SHE1929%20%28CAM-3%29/3%20TECH/B%20GENERAL/2%20ANNUAL%20RPT

These submissions are distributed for information.

The Nunavut Water board is aware that a number of web browsers are no longer supporting File Transfer Protocol (ftp). If you are having difficulty accessing our FTP site you may need to download an FTP application. We have been recommending the FileZilla Client below to access the files, which is a free and open source application. A link can be found below:

https://filezilla-project.org/

Regards,

Richard

Richard Dwyer - ᓇᑦᓱᕐᑕ ᑐᐊᐃᓯᕐ - he\him\his
Manager of Licensing- Responsable des permis
ᐊᐅᓚᑦᑎᔨ ᓚᐃᓴᓕᓇᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᓇᔨᑦ ᑲᑎᒪᔨᖏᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0
C.P. 119 Gjoa Haven (Nunavut), X0B 1J0
ᑎᑎᕋᖕᐱᖕ 119 ᐅᑦᓱᕐᒍᓐ, ᓄᓇᕗᑦ X0B 1J0
Titigaqaqvia 119 Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᒃᐊᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖕᒋᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

3 attachments

240326 8BC-SHE1929 2023 Annual Report-IMLE.pdf
733K

17.2.3 Spill Plan Rev.2 12Jun2023 (1).pdf
6501K

240326 8BC-CAM1929 2023 Annual Report-IMLE.pdf
9489K