



February 02, 2026  
NPC FILE No: 151021

**Calvin Haloak**

A/Manager, Public Registry  
Nunavut Impact Review Board (NIRB)  
Cambridge Bay, NU  
By email: [cehaloak@nirb.ca](mailto:cehaloak@nirb.ca); [info@nirb.ca](mailto:info@nirb.ca);  
[kgillard@nirb.ca](mailto:kgillard@nirb.ca)

**Richard Dwyer**

Manager of Licensing  
Nunavut Water Board (NWB)  
P.O. Box 119, Gjoa Haven, NU X0B 1J0  
By email: [richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca);  
[licensing@nwb-oen.ca](mailto:licensing@nwb-oen.ca)

**Tracey McCaie**

Manager Land Administration  
Crown Indigenous Relations and Northern Affairs  
Canada (CIRNAC)  
P.O. Box 100, Iqaluit, NU X0A 0HO  
By email: [tracey.mcciae@canada.ca](mailto:tracey.mcciae@canada.ca);  
[aadnc.landsmining.aandc@canada.ca](mailto:aadnc.landsmining.aandc@canada.ca); [isa.qamaniq-mason@canada.ca](mailto:isa.qamaniq-mason@canada.ca); [spencer.dewar@canada.ca](mailto:spencer.dewar@canada.ca);  
[jeff.hart@canada.ca](mailto:jeff.hart@canada.ca); [richard.bingley2@rcaanc-cirnac.gc.ca](mailto:richard.bingley2@rcaanc-cirnac.gc.ca)

**Caroline Whittle**

Director of Culture and Heritage  
Department of Culture and Heritage (GN-CH)  
P.O. Box 1000, Stn. 800, Iqaluit, NU X0A 0HO  
By email: [cwhittle@gov.nu.ca](mailto:cwhittle@gov.nu.ca); [apollo2@gov.nu.ca](mailto:apollo2@gov.nu.ca)

Dear Calvin Haloak, Richard Dwyer, Tracey McCaie, Natalie D'Souza, Caroline Whittle, Luis Manzo, William Patch and Charlotte Lamontagne:

**RE: NPC File No: 151021 [Coral Harbour Remediation Project]**

The following works and activities have been proposed in the above-noted project proposal:

- Primary land use:** Remediation of contaminated sites
- Project description:** The project proposes to remediate five (5) areas associated with the former military base in Coral Harbour, Nunavut.
- Summary of modifications:** To extend the project operational dates from March 31, 2025, to March 31, 2027, to allow for remediation of Area of Environmental Concern 11 (AEC11) – Fossil Creek Bridge. The proposed

works involve removing the remnants of the bridge, including log abutments and a cement pier, with all hazardous waste shipped to southern Canada, and will be carried out by a crew of 7 over 30 days in 2026–2027.

4. **Associated NPC File Nos.:** 150860; 149576; **Related NIRB File No.:** 22KN046

5. **Location:** Kivalliq Region; [approximately 10 kilometres northwest of the Hamlet of Coral Harbour]

A complete description of the project proposal reviewed by the Nunavut Planning Commission (NPC) can be accessed online using the link below.

The NPC has completed its review of the above-noted project proposal. The NPC previously reviewed works and activities associated with the current proposal (latest conformity determination issued June 21, 2022), which still applies. In addition, associated activities were previously screened by the Nunavut Impact Review Board (NIRB File No.: 22KN046). It conforms to the Keewatin Regional Land Use Plan (KRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, G, and H of the KRLUP.

The above-noted project proposal is exempt from screening by the NIRB because the NPC is of the understanding that the currently proposed activities does not change the general scope of the original or previously amended project activities, and the exceptions noted in Section 12.4.3 (a) and (b) of the Nunavut Agreement do not apply.

By way of this letter, the NPC is forwarding the project proposal to the regulatory authorities identified by the proponent. Project materials, including the applicable conformity requirements, are available at the following address: <https://lupit.nunavut.ca/portal/registry/registry.aspx?appid=151021>

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above-noted project proposal as submitted. Proponents may not carry out projects, and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 447-4563.

Sincerely,



Solomon Amuno, PhD  
Senior Planner  
Nunavut Planning Commission