



Application for Water Licence Renewal

April 2010

P.O. BOX 119
GJOA HAVEN, NUNAVUT
XOB 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓇᓱᑦ ለᓇᓱᑦ ንᓪᓗ ቅ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT



P.O. BOX 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓇᓱᑦ ልਲ-ᓱ-ᐱ- ን-ᓱ-
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

APPLICATION FOR WATER LICENCE RENEWAL

Your application may be classified as a **renewal** only if all operations remain the same as previously licensed and only the term of the licence requires change. If your application contemplates:

- a change to water source;
- a change to the volume of water authorized for use;
- a new activity related to water use or waste disposal;
- a new component related to water use or waste disposal;
- a change in predicted environmental impacts(s); and/or
- a change to any term or condition of the original licence

your application is **NOT** classified as a renewal but rather an amendment and will require submission of an Application for Water Licence Amendment. Licensees applying for combined renewal / amendment are also referred to the Application for Water Licence Amendment.

The applicant is referred to the NWB's Guide 7: Licensee Requirements Following the Issuance of a Water Licence for more information about this application form.

EXISTING LICENCE NO: 8BW-CLY0810

1. LICENSEE CONTACT INFORMATION

Is the licensee the same as that referred to on the existing licence?

Yes No

If No, a licence assignment must be completed and approved by the NWB. **A renewal will only be issued in the name of the current licensee in the absence of assignment of the licence.**

If the licensee is the same, but the name of the licensee has changed, attach a certificate of name change.

Name:

Address:

Phone: _____

Fax: _____

e-mail: _____

2. LICENSEE REPRESENTATIVE CONTACT INFORMATION – If different from Block 1.

Name: Philippe Simon

Address: 3333 Queen Mary, FM 580
Montreal, Quebec, H3V 1A2

Phone: 514-940-3332

Fax: 514-940-3435

e-mail: psimon@genv.ca

(Attach authorization letter.)

3. NAME OF PROJECT

Is the name of the project the same as that considered in the existing water licence?

Yes No

Indicate the name of the project including the name of the location: Clyde River Road construction
Project

4. LOCATION OF UNDERTAKING

Is the location of the undertaking the same as that considered in the existing water licence?

Yes No

Project Extents

NW: Latitude: (70°30'59" N)

Longitude: (68°19'05" W)

NE: Latitude: (70°30'39" N)

Longitude: (68°18'47" W)

SE: Latitude: (70°29'22" N)

Longitude: (68°23'09" W)

SW: Latitude: (70°29'25" N)

Longitude: (68°23'41" W)

Camp Location(s) N/A

Latitude: (° ' " N)

Longitude: (° ' " W)

5. MAP

Are the locations of the main components of the undertaking the same as those considered in the existing licence?

Yes No

Attach a topographical map, indicating the main components of the undertaking.

NTS Map Sheet No.: 27F8 1/4
27F9

Map Name: _____

Map Scale: 1:40000

6. NATURE OF INTEREST IN THE LAND

Is the nature of the interest in the land the same as that considered in the existing water licence?

Yes No

Check any of the following that are applicable to the proposed undertaking (at least one box under the 'Surface' header must be checked).

Sub-surface

Mineral Lease from Nunavut Tunngavik Incorporated (NTI)

Date (expected date) of issuance: _____ Date of expiry: _____

Mineral Lease from Indian and Northern Affairs Canada (INAC)

Date (expected date) of issuance: _____ Date of expiry: _____

Surface

Crown Land Use Authorization from Indian and Northern Affairs Canada (INAC)

Date (expected date) of issuance: _____ Date of expiry: _____

Inuit Owned Land (IOL) Authorization from Kitikmeot Inuit Association (KIA)

Date (expected date) of issuance: _____ Date of expiry: _____

IOL Authorization from Kivalliq Inuit Association (KivIA)

Date (expected date) of issuance: _____ Date of expiry: _____

IOL Authorization from Qikiqtani Inuit Association (QIA)

Date (expected date) of issuance: _____ Date of expiry: _____

Commissioner's Land Use Authorization

Date (expected date) of issuance: N/A Date of expiry: _____

Other _____

Date (expected date) of issuance: _____ Date of expiry: _____

Is the name of the entity(s) holding authorizations the same as that considered in the existing water licence?

Yes No

N/A

If No, a licence assignment must be completed and approved by the NWB.

Name of entity(s) holding authorizations:

7. NUNAVUT PLANNING COMMISSION (NPC) DETERMINATION

Is the undertaking located in the same land use planning area as that considered in the existing licence?

Yes No

Indicate the land use planning area in which the project is located.

North Baffin
 South Baffin
 Akunniq

Keewatin
 Sanikiluaq
 West Kitikmeot

Was a land use plan conformity determination required from NPC prior to the issuance of the existing water licence?

Yes No

If Yes, indicate date issued and attach copy. October 28, 2009

Does the proposed renewal change the original NPC conformity determination or the need to obtain one?

Yes No

If Yes, indicate date issued (or expected) and attach a copy.

If No, provide written confirmation from NPC confirming that a land use plan conformity review is not required.

8. NUNAVUT IMPACT REVIEW BOARD (NIRB) DETERMINATION

Was a screening determination required from NIRB prior to the issuance of the existing water licence?

Yes No

If Yes, indicate date issued and attach copy. July 24, 2008 & September 30, 2009

Does the proposed renewal change the original NIRB screening determination or the need to obtain one?

Yes No

If Yes, indicate date issued (or expected) and attach a copy.

If No, provide written confirmation from NIRB confirming that a screening determination is not required.

9. DESCRIPTION OF UNDERTAKING

Is the description of the undertaking the same as that considered in the existing water licence?

Yes No

List and attach plans and drawings or project proposal.

All crossings and culvert installations are completed. Renewal is required to complete mitigation and to assign to the hamlet of Clyde River for future use.

10. OPTIONS

Are the alternative methods and locations that were considered to carry out the project the same as those considered in the existing water licence?

Yes No

Provide a brief explanation of the alternative methods or locations that were considered to carry out the project.

11. CLASSIFICATION OF PRIMARY UNDERTAKING

Is the primary undertaking the same as that considered in the existing water licence?

Yes No

Indicate the primary classification of undertaking by checking one of the following boxes.

<input type="checkbox"/> Industrial	<input type="checkbox"/> Agricultural
<input type="checkbox"/> Mining and Milling (includes exploration/drilling/exploration camps)	
<input type="checkbox"/> Conservation	<input type="checkbox"/> Recreational
<input type="checkbox"/> Municipal (includes camps/lodges)	<input checked="" type="checkbox"/> Miscellaneous (describe below):
<input type="checkbox"/> Power	<u>WATERCOURSE</u>

See Schedule II of the *Northwest Territories Waters Regulations* for Description of Undertakings.

12. WATER USE

Is the type(s) of water use(s) the same as that considered in the existing water licence?

Yes No

Check the appropriate box(s) to indicate the type(s) of water use(s) being applied for.

<input type="checkbox"/> To obtain water for camp/ municipal purposes	<input type="checkbox"/> To divert a watercourse
<input type="checkbox"/> To obtain water for industrial purposes	<input type="checkbox"/> To modify the bed or bank of a watercourse
<input type="checkbox"/> To cross a watercourse	<input type="checkbox"/> Flood control
<input checked="" type="checkbox"/> To alter the flow of, or store water	
<input checked="" type="checkbox"/> Other: <u>Mitigation and</u> <u>Sediment control</u>	

13. QUANTITY OF WATER INVOLVED

Is the source of water the same as that considered in the existing licence?

Yes

No

Name of water source(s): _____
(show location(s) on map)

Is the quality of the water source and its available capacity the same as that considered in the existing licence?

Yes No

Describe the quality of the water source(s) and the available capacity(s): _____

Is the overall estimated quantity of water to be used the same as that considered in the existing licence?

Yes No

Provide the overall estimated quantity of water to be used: NONE (< 100m³) m³/day

Are the quantity(s) of water to be used from each source the same as those considered in the existing licence?

Yes No

Provide the estimated quantity(s) of water to be used from each source: NONE

Are the quantity(s) of water to be used for each purpose the same as those considered in the existing licence?

Yes No

Provide the estimated quantities to be used for each purpose (camp, drilling, etc.): No camp

Aluminum, road has been built, elephant crossings and bridge installed

Are the method(s) of extraction the same as those considered in the existing licence?

Yes No

Describe the method(s) of extraction: NONE

Are the quantity(s) of water returned to source(s) the same as those considered in the existing licence?

Yes No

Estimated quantity(s) of water returned to source(s): N/A m³/day

Are the quality(s) of water(s) returned to source(s) the same as those considered in the existing licence?

Yes No

Describe the quality(s) of water(s) returned to source(s): N/A

The renewal is required only to complete mitigation and to assign the use of the bridge and the road to Clyde River