

**From:** [Philippe Simon](#)  
**To:** ["Phyllis Beaulieu"](#); ["Harry Flaherty"](#)  
**Cc:** ["Karlette Tunaley"](#)  
**Subject:** RE: 8BW-CLY0810  
**Date:** Monday, December 13, 2010 11:49:46 AM

---

Hi Phyllis,

As per Part G Item 6, Qikiqtaaluk will not be submitting stamped plans and drawings for the constructed roadway. Plans are to remove all culverts in 2011, restore all impacts grounds, landscape to match surroundings contour to abandon the roadway.

Regards,

Philippe Simon, P.Eng., Ph.D.

---

**From:** Phyllis Beaulieu [mailto:[licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)]  
**Sent:** December 2, 2010 12:23 PM  
**To:** [psimon@qenv.ca](mailto:psimon@qenv.ca); Harry Flaherty  
**Cc:** Karlette Tunaley  
**Subject:** 8BW-CLY0810

Good morning Philippe and Harry – the Nunavut Water Board would appreciate an update on when to expect the necessary documents to complete the application for renewal, received in our office on August 20, 2010.

Regards,

Phyllis Beaulieu  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU X0B 1J0  
Phone: (867) 360-6338, Ext. 26  
Fax: (867) 360-6369  
Email: [licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)