



NWB Tools

Megan Porter &lt;megan.porter@nwb-oen.ca&gt;

## Fwd: [Licensing] Fwd: Iqaluit Type B Water Licence status

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>  
 To: Megan Porter <megan.porter@nwb-oen.ca>

Wed, Nov 12, 2014 at 10:34 AM

You would have gotten this in your inbox. Your copy of this email should be saved into central and uploaded. thanks



**Phyllis Beaulieu- ᐅᓇᓚ ᐅᓚ**

Manager of Licensing- Responsable des Permis  
 ᐅᓇᓚ ᐅᓚ ᐅᓚ- Mariyauq Laisaliginiqmun

**NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT  
 Ꮬᜈᜈ ላᜈᜈ Ꮬᜈᜈ - NUNAVUT IMALIRIYIN KATIMAYINGI**  
[www.nwb-oen.ca](http://www.nwb-oen.ca)

P.O. Box 119  
 Gjoa Haven, NU, X0B 1J0

C.P. 119  
 Gjoa Haven (Nunavut), X0B 1J0

0096389 119  
 ላᜈᜈ, Ꮬᜈᜈ X0B 1J0

Titigaqvia 119  
 Uqhuqting, NU, X0B 1J0

Tel / Téléphone / የᜈᜈ ላᜈᜈ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / የᜈᜈ የᜈᜈ / Fax-kut: (867) 360-6369  
 Toll Free / Sans Free / የᜈᜈ የᜈᜈ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Sean Joseph** <sean.joseph@nwb-oen.ca>  
 Date: Tue, Nov 4, 2014 at 12:10 PM  
 Subject: [Licensing] Fwd: Iqaluit Type B Water Licence status  
 To: Licensing Department <licensing@nwb-oen.ca>

Fyi

----- Forwarded message -----

From: **Sean Joseph** <sean.joseph@nwb-oen.ca>  
 Date: Tue, Nov 4, 2014 at 11:00 AM  
 Subject: Re: Iqaluit Type B Water Licence status  
 To: Richard Sparham <R.Sparham@city.iqaluit.nu.ca>  
 Cc: David Hohnstein <dts@nwb-oen.ca>

Hi Richard,

The NWB has completed a preliminary review of the above-mentioned application and supporting information (Application), which determined that the following items should be addressed before the application could proceed to the next stage(s) of the licensing process:

[Water Licence Application Form](#)

1. Block 3:

§ The project's name should be amended to reflect the scope of the project under the application as well as to better enable the NWB to incorporate it into any potential licence issued. While it is assumed that the current project name might be intended to reflect the City of Iqaluit's attempt to holistically capture, to the fullest extent, eventual and wider project activities, it is recommended that the name be revised for the aforementioned purposes.

2. Block 7:

§ A copy of written confirmation received from the Nunavut Planning Commission stating that a Conformity Determination is not required for the project.

3. Block 8:

§ A copy of written confirmation received from the Nunavut Impact Review Board stating that a Screening Determination is not required.

4. Block 24:

Clarification/confirmation is required for the following items:

§ Whether or not construction activities for the project has already started; details contained in the application indicate that the proposed construction period for the project is August 2014 - October 2015.

§ Based on the response provided in this section of the application, a one-year licence is being requested; however, details indicate that the road is going to operate for an indefinite period of time.

§ Additional response provided to this section indicates that the closure date for the project is anticipated to be November 15, 2015, which appears to be inconsistent with information provided for the operations phase.

5. Paragraph 3, Line 8, of the Executive Summary (English Version) states that apart from the culverts that will be associated with the two water crossings, additional ones will be installed along the roadway to promote drainage. While the issued-for-tender drawings accompanying the application show several new and existing culverts, confirmation is required on the number of additional culverts that will be installed and existing ones that will be replaced and their potential impact on water bodies.

6. Paragraph 2, Line 5, of the application states that granular material will be used to construct the road; however, details on the sources of such material appear missing.

7. Section 1.4.3 of the Pollution Procedures indicates that dry materials and rubbish will be covered or wetted to prevent blowing dust and debris. Confirmation is required on whether the applicant will seek to amend any potential licence issued to the project to allow for water use for this activity.

8. It is recommended that the Pollution Procedures and the Slit Fence documents be combined under one plan and include a section to address potential spills. In this way, the NWB will be able to approve a single plan under any potential licence issued to the project.

If you have any questions in the interim, please contact me at your earliest convenience.

Regards,

Sean



Sean Joseph- ᑲ ᑭ ᑭ

Technical Advisor- Conseiller technique

ᓇ᜵ᜱ᜵ ᓇᜱ᜵ᜱ᜵ ሳᜱ᜵ᜱ᜵- Piluaqnaqtuliginiqmun Ikayuqtı

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT  
 ᓇᜱ᜵ ሳᜱ᜵ᜱ᜵ ንᜱ᜵ᜱ᜵ - NUNAVUT IMALIRIYIN KATIMAYINGI  
 www.NunavutWaterBoard.org

P.O. Box 119  
 Gjoa Haven, NU, X0B 1J0

C.P. 119  
 Gjoa Haven (Nunavut), X0B 1J0

119  
 ▪ᜱ᜵ᜱ᜵, ሳᜱ᜵ᜱ᜵ X0B 1J0

Titigaaqvia 119  
 Uqhuqhuuq, NU, X0B 1J0

Tel / Téléphone / ᑭ ᑭ ᑭ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᑭ ᑭ ᑭ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Nov 4, 2014 at 8:30 AM, Richard Sparham <[R.Sparham@city.iqaluit.nu.ca](mailto:R.Sparham@city.iqaluit.nu.ca)> wrote:

Hi Sean,

Have you had a chance to prepare a response for our Type B Water licence Application? I only ask as you had stated last week that you were preparing a response and that I am having to respond to my superiors as well.

Please let me know.

Thank you

Richard

**Richard J. Sparham**

*Project Officer*

*Engineering Department*

**City of Iqaluit**

**Box 460, Iqaluit, NU**

**X0A 0H0**

 (867)979-6363 ext.259

 [r.sparham@city.iqaluit.nu.ca](mailto:r.sparham@city.iqaluit.nu.ca)

