



Nunavut Marine Infrastructure Project Pond Inlet, Tower Arctic Ltd. Water Licence 8BW-PIM1821 renewal application

Olivier Bédard-Richard <Olivier.Bedard-Richard@towerarctic.net>

Mon, Jul 5, 2021 at 11:42 AM

To: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>, Simon Brochu <Simon.Brochu@towerarctic.net>, "McDonell, Justin" <JMcDonell@gov.nu.ca>, Tower Arctic <tower@towerarctic.net>

Hi Richard,

here are the responses to the comments from CIRNAC (attached document):

1. The renewal licence is until December 31, 2021.
2. Please see attached the most up-to-date Spill Response Plan (15255-00331-07-TA-GN-CWP-0003-6.pdf).
3. A closure and reclamation plan is going to be submitted by Tower Arctic within 90 days of licence issuance.
4. The Quarry is not part of the Type B Water Licence No. 8BW-PIM1821 and this licence is related to the water crossings along the Haul Road of the Pond Inlet Marine Infrastructure Project. Why Tower Arctic shall provide a Quarry Management Plan and Monitoring Plan?

Regards,

Olivier Bédard-Richard

Environmental Coordinator

C (418) 953-3781

Olivier.Bedard-Richard@TowerArctic.net

1502 Federal Road

P.O. Box 717

Iqaluit (Nunavut), X0A 0H0

www.towerarctic.net



De : Richard Dwyer <richard.dwyer@nwb-oen.ca>

Envoyé : 28 juin 2021 16:43

À : Olivier Bédard-Richard <Olivier.Bedard-Richard@TowerArctic.net>

Cc : Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Objet : Re: Nunavut Marine Infrastructure Project Pond Inlet, Tower Arctic Ltd. Water Licence 8BW-PIM1821 renewal application

Courriel externe / External email

[Quoted text hidden]

2 attachments



210628 8BW-PIM1821 Renewal Application CIRNA Comments-IMLE.pdf

146K



15255-00331-07-TA-GN-CWP-0003-6.pdf

949K