



Nunavut Marine Infrastructure Project Pond Inlet, Tower Arctic Ltd. Water Licence 8BW-PIM1821 renewal application

Olivier Bédard-Richard <Olivier.Bedard-Richard@towerarctic.net>

Thu, Jul 8, 2021 at 11:43 AM

To: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>, Simon Brochu <Simon.Brochu@towerarctic.net>, "McDonell, Justin" <JMcDonell@gov.nu.ca>, Tower Arctic <tower@towerarctic.net>

Hi Richard,

Please see the below the responses to the comments:

- Information about the 2018, 2019, and 2020 monitoring program related to water sampling and analysis:
 - Information about the monitoring of 2018 and 2019 is provided in Section 4.4 of the 2019 Annual Report
 - Information about the monitoring of 2020 is provided the attached document named *8BW-PIM1821 Water Crossing Monitoring Summary 2020 rev 1.pdf*
- Monitoring Plan:
 - The Monitoring Plan of the Pond Inlet Marine Infrastructure Project is attached to the message.
 - The water quality monitoring method is provided in Section 8.2.1.2 of the Monitoring Plan.
- The authorizations related to the "Quarry" facility are provided in Section 3.1 of the Monitoring Plan.
- The Quarry Management Plan named *15255-00331-07-TA-GN-CWP-0002-2.pdf* is attached to the message.

Let me know if you need more information.

Best regards,

Olivier Bédard-Richard

Environmental Coordinator

C (418) 953-3781

Olivier.Bedard-Richard@TowerArctic.net

1502 Federal Road

P.O. Box 717

Iqaluit (Nunavut), X0A 0H0

www.towerarctic.net



De : Richard Dwyer <richard.dwyer@nwb-oen.ca>

Envoyé : 6 juillet 2021 11:41

À : Olivier Bédard-Richard <Olivier.Bedard-Richard@TowerArctic.net>

Cc : Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>; Simon Brochu <Simon.Brochu@towerarctic.net>; McDonell, Justin <JMcDonell@gov.nu.ca>; Tower Arctic <tower@towerarctic.net>

[Quoted text hidden]

[Quoted text hidden]

3 attachments



15255-00331-TA-Environmental Monitoring Plan rev13.pdf

3301K



8BW-PIM1821 Water Crossing Monitoring Summary 2020 rev 1.pdf

620K



15255-00331-07-TA-GN-CWP-0002-2.pdf

1096K