



## 160212 8BW-RWR---- Distribution Review - GN-CGS Coral Harbour Airport Community Washout Rehabilitation Project - Kivalliq Region

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Fri, Feb 12, 2016 at 4:07 PM

To: "Hoos, Rick" <rick.hoos@tetratech.com>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Kivalliq <distro-kivalliq@nwb-oen.ca>

### NOTICE TO ALL PARTIES:

**DEADLINE FOR COMMENTS IS ON MARCH 12, 2016**

Dear Mr. Hoos:

The attached provides notice that, on December 10, 2015, a new application for a Type "B" water license for water use and/or waste disposal associated with activities in the Kivalliq region of Nunavut was filed by GN-CGS. By way of this correspondence, the Board invites parties to provide the NWB with their comments with respect to the application as outlined below. The application consists of the following documents:

- Information on Potential Application
- Information on NIRB Exemption
- Information on NPC Exemption
- Tetratech Authorization Letter
- Information on Submission of Application
- Information on Submission of Water Use
- Application for New Water Licence
- Completed NWB M1 Water Works SIG
- Cover Email Coral Harbour Airport Community Road Washout Rehabilitation Project
- Part 1 EBA Road Wash Out Report – Revision 1 2013
- Part 1 of TT EBA Feasibility Report Jan 2015
- Part 2 of EBA Road Wash Out Report – Revision 1
- Part 2 of TT EBA Feasibility Report Jan 2015
- Part 3 of EBA Road Washout Report – Revision 1 2013
- Part 3 of TT EBA Feasibility Report Jan 2015 IFU
- Part 4 of EBA Road Washout Report – Revision 1 2013
- Part 4 of TT EBA Feasibility Report Jan 2015 IFU
- Part 5 of EBA Road Washout Report – Revision 1 2013
- Part 6 of EBA Road Washout Report – Revision 1 2013
- Part 7 of EBA Road Washout Report – Revision 1 2013
- Supplementary Information Report Coral Harbour IFU
- TT EBA Design Option Report Final Nov 2015 Part 1
- TT EBA Design Option Report Final Nov 2015 Part 2
- Non-Technical Summary
- CGS Non-Technical Summary (English)
- CGS 2015 Non-Technical Summary (English)
- Additional Supporting documents for Coral Harbour Airport
- CEMP Coral Harbour IFU
- Coral Harbour Design Drawing Package
- Supplementary Information Report Coral Harbour IFU

The application can be obtained from our ftp site at the following link:

<ftp://ftp.nwb-oen.ca/1%20PRUC%20PUBLIC%20REGISTRY/8%20MISCELLANEOUS/8B/8BW%20-%20Watercourse/8BW-RWR---%20CGS/>

As noted in the NWB's earlier correspondence acknowledging receipt of this application, under the Nunavut Land Claims Agreement (NLCA), Article 11, Section 11.5.9 and s. 76 (1) of Nunavut Planning and Project Assessment Act (NuPPAA), the proponent of a project proposal governed by the NLCA and NuPPAA that requires a water licence is required to submit a project proposal document (which may include the water licence application) directly to the Nunavut Planning Commission (NPC or Commission). The NPC then reviews the project proposal and makes a determination regarding the applicable land use planning requirements and/or provides direction regarding whether the project proposal is subject to screening by the Nunavut Impact Review Board (NIRB). Under Articles 11, 12 and 13 of the NLCA, NuPPAA and Part 3

of the Nunavut Waters and Nunavut Surface Rights Tribunal Act (NWNSRTA), until the project proposal has concluded the applicable land use planning and assessment process required by the NPC and the NIRB, the NWB cannot issue a water licence.

On this basis, the NWB, while previously acknowledging the receipt of the application, waited for the Commission's determination and recommendations before proceeding to the next steps in the NWB's processing of the application. Please be advised that on September 28, 2015 the NWB received the required determinations and recommendations from the Commission and on September 28, 2015 received the NIRB's determination in respect of the project proposal associated with the water licence application.

Now that the application has concluded the pre-licensing steps required under the NLCA, NuPPAA and the NWNSRTA, the NWB is now proceeding to the next steps in processing the application, including providing the attached Notice of Application which will be published in due course. In addition, to ensure this application is dealt with in a timely fashion, the NWB has forwarded notice of all documentation received by the NWB in respect of the application to regulators and Council of the Municipality(ies) most affected by the project. The NWB is also inviting interested parties to make representations about the application, including information requests, identifying issues of water user compensation and providing technical review comments directly to the NWB within thirty (30) days from the date of this letter; on or before March 12, 2016.

After the NWB receives and reviews the comments received, the Board may provide additional procedural instructions regarding the next steps in the Board's processing of the application. Please note that throughout the Board's consideration of the application, the NWB retains the right to request additional information and studies, as set out under ss. 48(1)-(3) of the NWNSRTA. If additional information will be requested, the NWB's technical staff will contact the applicant to discuss the Board's request in detail.

If the applicant or parties have any questions regarding this matter, please contact Sean Joseph [Sean.Joseph@nwb-oen.ca](mailto:Sean.Joseph@nwb-oen.ca), the Technical Advisor for the file.

Sincerely,  
Robin



**Robin Ikkutisluk- ᓄᓇᕗ ማጀᓂ**

Licence Administrator- Administratrice des permis  
ᓄጀጀ ማጀጀ - Laisaliginiqmun Ikayuqtu

**NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT  
ᓄጀጀ ማጀጀ - NUNAVUT IMALIRIYIN KATIMAYINGI**  
[www.nwb-oen.ca](http://www.nwb-oen.ca)

P.O. Box 119  
Gjoa Haven, NU, X0B 1J0

C.P. 119  
Gjoa Haven (Nunavut), X0B 1J0

0096881 119  
D100, X0B 1J0

Titigacqvia 119  
Uqhuqting, NU, X0B 1J0

Tel / Téléphone / 1-867-360-6338 | Fax / Télécopieur / 1-867-360-6369  
Toll Free / Sans / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

### 3 attachments

-  **160212 8BW-RWR— Distribution Review after NPC NIRB-OLAE.pdf**  
149K
-  **160212 8BW-RWR— notice local Coral Harbour-OAAE.pdf**  
127K
-  **160212 8BW-RWR— notice-OLAE.pdf**  
35K