



P.O. Box 119, Goa Haven, NU X08 1J0, Tel: (867) 360-6338, Fax: (867) 360-6369

If the Authorized Entity contemplates changes to its undertaking involving a change in scope or increased activity, a water licence may be required. It is the Authorized Entity's responsibility to apply to the NWB for a water licence in accordance with the timelines set out for licences.

It should be noted that as identified in the Application for the Approval for the use of Waters and Deposit of Waste Without A Licence, the Authorized has held, or currently holds Type "B" Water Licences No 3BC-HIS1313 that applied to the carrying out of activities involving the use of waters or deposit of waste now included under 8WLC-DIS1718. The Board reminds the Authorized Entity that as stated in s. 46 of the NWNSRTA, the expiry or cancellation of this licence does not relieve the holder from any outstanding obligations imposed under the licence. If there are any obligations under Type "B" Water Licences No. 3BC-HIS1313 that remain outstanding (such as obligations in relation to payment of water fees, filing of plans for approval and restoration, etc.) the Authorized Entity remains responsible for fulfilling these obligations.

This Approval has been posted to the NWB's Public Registry and FTP site and is accessible from the following link:

<ftp://ftp.nwb-oen.ca/registry/8%20MISCELLANEOUS/8WL/8WLC%20-%20Camp/8WLC-DIS1718%20Godin/>

Sincerely,

Thomas Kabloona
Nunavut Water Board
Chair

TK/sa/ip

Enclosure: Approval Number: 8WLC-DIS1718

cc. Qikiqtani Region



NUNAVUT WATER BOARD APPROVAL WITHOUT A LICENCE

APPROVAL DECISION

APPROVAL NUMBER: 8WLC-DIS1718

This is the decision of the Nunavut Water Board (NWB) with respect to an application for Approval for the use of Waters and deposit of Waste without a licence, dated February 10, 2017 made by:

DEPARTMENT OF EARTH SCIENCES, UNIVERSITY OF WESTERN ONTARIO,

to authorize the use of Waters and deposit of Waste during camp activities in support of research activities at the Periglacial and Paleoglacial Investigation of the Haughton Impact Structure and Surrounding Terrains, Devon Island Project located within the Qikiqtani Region, Nunavut and within Watershed of: Western Devon Island, Water Management Area No. 56 generally at the following geographical coordinates:

Project:	Max Latitude: 75.434 ⁰ N	Max Longitude: 89.954 ⁰ W
	Min Latitude: 75.323 ⁰ N	Min Longitude: 89.374 ⁰ W
Camp:	Latitude: 75.400° N	Longitude: 89.522° W

DECISION

After receiving confirmation from the Nunavut Planning Commission (NPC)² that the Application is for a project proposal that Conforms to the North Baffin Regional Land Use Plan, that the activities were previously screened by the Nunavut Impact Review Board and that the Application does not require further review by the NPC or the NIRB, the Board is satisfied that the requirements of Articles 11 and 12 of the *Nunavut Agreement* and sections 3, 4 and 5 of the *Nunavut Waters Regulations* (NWR or *Regulations*) have been adequately addressed. In addition, through the provision of a signed Application for an Approval Without a Licence, the Applicant has agreed to adhere to sections 4(3), 5(4), and 6(1) of the *Regulations* and to comply with the associated requirements, the NWB determined that:

Approval Number 8WLC-DIS1718 be issued, subject to the conditions of Schedule 1 contained therein (Motion # 2017-WL-017).

SIGNED this 4th day of July, 2017 at Gjoa Haven, NU.

Thomas Kabloona
Nunavut Water Board
Chair

TK/sa/ip

² Nunavut Planning Commission (NPC) Revised Decision NPC File #148506 – Periglacial Investigation of the Haughton Impact Structure and Surrounding Terrains, Devon Island, Nunavut, dated April 7, 2017



NUNAVUT WATER BOARD APPROVAL WITHOUT A LICENCE

APPROVAL NO. 8WLC-DIS1718

Pursuant to the *Nunavut Waters Regulations, Nunavut Waters and Nunavut Surface Rights Tribunal Act* and the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada*, the Nunavut Water Board hereinafter referred to as the Board, hereby grants to:

DEPARTMENT OF EARTH SCIENCES, UNIVERSITY OF WESTERN ONTARIO

of

1151 RICHMOND STREET, LONDON, ON, N6A 5B7

Hereinafter called the Authorized Entity, the right to use Waters and Deposit waste for a period of one (1) year after the day on which the Board approved the Application, subject to the conditions contained in Schedule 1 attached to this Approval:

Project Name: **PERIGLACIAL AND PALEOGLACIAL INVESTIGATION OF
THE HAUGHTON IMPACT STRUCTURE AND SURROUNDING
TERRAINS, DEVON ISLAND**

Location: **QIKIQTANI REGION, NUNAVUT**

Water Management Area: **WESTERN DEVON ISLAND WATERSHED (No. 56)**

Classification of
Undertaking: **OTHER UNDERTAKING**

Purpose: **USE OF WATERS AND DEPOSIT OF WASTE**

Approval Criteria: **TOTAL WATER USE OF 1 CUBIC METRES PER DAY,
DEPOSIT OF SEWAGE AND GREY WATER 12 CUBIC METRES
PER DAY, ALL OTHER WASTE WILL BE FLOWN OUT**

Effect Date: **July 4, 2017**

Expiry of Approval: **July 3, 2018**

Dated this 4th day of July, 2017, at Gjoa Haven, NU

Nunavut Water Board
Chair



SCHEDULE 1

CONDITIONS FOR USE OF WATER OR DEPOSIT OF WASTE WITHOUT A LICENCE

General

1. In the case of an Authorized Entity who has a mineral right and who intends to use Waters or deposit Waste in relation to that right, the Authorized Entity shall respect the priority conferred on Inuit by section 62 of the *Act* as if that applicant had a licence for the use or deposit.

Use of Waters

2. The Authorized Entity shall take measures prior to the use of Waters to minimize any alteration to the bed or banks of a watercourse whose waters are to be used, and the measures shall be maintained during the operation of the undertaking.

Spill Contingency

3. Measures developed to deal with unforeseen petroleum and hazardous materials releases that may occur during the operations conducted under the authorization to use waters and/or deposit waste without a licence, including:
 - a. all Sumps and fuel caches shall be located at a distance of at least thirty-one (31) metres from the ordinary High Water Mark of any adjacent water body and inspected on a regular basis;
 - b. prevent any chemicals, petroleum products or wastes associated with the project from entering water;
 - c. report spills immediately to the 24-Hour Spill Line at (867) 920-8130 and to the Inspector at (867) 975-4295;
 - d. for each spill occurrence, submit to the Inspector, no later than thirty (30) days after initially reporting the event, a detailed report that will include reference to the assigned spill number, the amount and type of spilled product, the GPS location of the spill, and the measures taken to contain and clean up the spill site; and
 - e. in addition to Item 5c, regardless of the quantity of releases of harmful substances, report to the NWT/NU Spill Line if the release is near or into a Water body.

Deposit of Waste

4. The Authorized Entity shall not deposit Waste to surface water or within thirty-one (31) metres of the ordinary high water mark of any body of water.
5. The waste must not contain more than 15 milligrams per litre of petroleum or petroleum product and must not have a visible hydrocarbon sheen.

Abandonment and Restoration

6. Prior to the closure or abandonment of the undertaking or end of the period authorized for the use of Waters or deposit of waste without a licence, whichever occurs first, the site shall be restored



SCHEDULE 1 (Cont.)

— to the extent practicable — to the state in which it was before the use of Waters or the deposit of Waste.^a

Record Keeping

7. The Authorized Entity shall:
- a. maintain accurate and detailed books and records of:
 - i. the quantity of water, in cubic metres, used each day,
 - ii. the quantity, in cubic metres, of waste deposited each day,
 - iii. the type of waste deposited each day,
 - iv. where the waste is deposited including GPS coordinates in Latitude and Longitude,
 - v. the concentration of the substance, or substances, in the deposited solid or liquid that has the effect of making the deposit waste,
 - vi. the methodology used to calculate or determine the information referred to in items (i) to (v), and
 - vii. the measures that were taken to avoid or mitigate any adverse impacts of the deposit of waste.
 - b. keep the books and records on the site of the undertaking during the period of its operation and make them available during that period to an inspector on request;
 - c. submit to the Board a report containing a summary description and supporting photographs of the restoration of the site of the undertaking within thirty (30) days after the earliest of (i) the day on which the undertaking is closed or abandoned, and (ii) the last day of the period authorized for the unlicensed use or deposit;^b and
 - d. keep the books and records for two years after submitting the report describing the restoration of the site and undertakings.

Notes:

- a) A site need not be restored prior to the end of the period authorized for the use of Water or the deposit of Waste without a licence, as required by Item 5, if the Board issues a licence for the use of Water or deposit of Waste for the same undertaking on same site prior to the end of that period.
- b) The Authorized Entity need not submit the report referred to in Item 6 (c) if the Authorized Entity obtains a new approval authorizing a use of Water or deposit of Waste without a licence, or a licence authorizing a use of Water or deposit of Waste for the same undertaking on the same site within thirty (30) days after the last day of the period previously authorized.