



150713 8WLC-HAR1516 Approval Without Licence AANDC-OMLE

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Mon, Jul 13, 2015 at 4:40 PM

To: Mark Yetman <yetmanm@aandc-aadnc.gc.ca>, Michael Westlake <Michael.Westlake@aadnc-aandc.gc.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Attached for your records is a copy of the one year approval for AANDC's High Arctic Remediation/Risk Management Plan Development Project

Regards,



Phyllis Beaulieu- ᐱᐱᐱᐱ ᐱᐱᐱᐱ

Manager of Licensing- Responsable des Permis

ᐃᑦᓴᓂ ᐅᐸᓕᓂᓄᓐ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓐ ᐃᓕᓕᓐᓂᓐ ᑲᑎᓕᓐᓂᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqavua 119
Uqhuqtunua, NU, X013 110

Tel / Téléphone / ᐅᑦᓴᐃᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᑦᓴᐃᑦ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐅᑭᓴᓂᕈᑦ / Akiittug : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



150713 8WLC-HAR1516 Decision-OCEE.pdf
239K