

## 8WLC-IDC1920 - University of Carleton - Approval for the Use of Use of Waters and **Deposit of Waste Without a Licence**

Richard Dwyer < richard.dwyer@nwb-oen.ca>

Tue, Jun 18, 2019 at 10:12 AM

To: derek.mueller@carleton.ca

Cc: Licensing Department < licensing@nwb-oen.ca> Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good morning,

Please see attached approval 8WLC-IDC1920 - University of Carleton - Approval for the Use of Use of Waters and Deposit of Waste Without a Licence.

Regards,

Richard



## Richard Dwyer- へ<sup>c</sup>んっc コ る る くっc

Manager of Licensing - Responsable des Permis <>CASCAGS LC Maniyauyuq Laisaliginiomun

## NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT Δαρι ΔLCαρι βΩΓΑΝΟΝΑVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0 775 TO A SU DB 130 300,000 XOB 130

Titigaqaqvia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / → → → C / Hivayauta: (867) 360-6338 | Fax / Télécopieur / → b → b - Fax-kut: (867) 360-6369 

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Africa de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

190618 8WLC-IDC1920 Approval WL-OASE.pdf 476K