

May 31, 2017

Karén Kharatyan Manager of Licensing Nunavut Water Board (NWB) P.O. Box 119, Gjoa Haven, NU XOB 1JO By email: licensing@nwb-oen.ca

Tracey McCaie
Manager Land Administration
Indigenous and Northern Affairs Canada
P.O. Box 100, Iqaluit, NU XOA 0H0
By email: tracey.mccaie@aandc.gc.ca

Jaida Ohokannoak Manager, Technical Administration Nunavut Impact Review Board (NIRB) P.O. Box 1360, Cambridge Bay, NU XOB 0C0 By email: info@nirb.ca

Chris Bowie
Stantec Consulting Ltd.
400-1331 Clyde Ave.
Ottawa Ontario k2C3G4 Canada
By email: chris.bowie@stantec.com

Dear Mr. Kharatyan, Ms. McCaie, Ms. Ohokannoak, and Mr. Bowie:

RE: NPC File # 148587 [Isachsen former High Artic Weather Station (HAWS), Ellef Ringnes Island – Phase II/III Environmental Site Assessment, Qualitative Risk Assessment, and Remediation/Risk Management Options Evaluation Project]

The following works and activities have been proposed in the above-noted project proposal:

- Environmental site assessment activities at the Isachsen former HAWS in order to provide preliminary
 remediation and risk management options for the site. Activities will include conducting geophysical surveys
 of dump and landfill areas, identifying hazardous materials onsite within drums and other containers, and
 infrastructure external surface coatings and completing background sampling at the site for soil,
 groundwater, and sediment. Approximately 10 people will be on site for a period of approximately 14 days.
- 2. Location: Qikiqtani Region; Isachsen, Ellef Ringnes Island.

A complete description of the project proposal reviewed by the NPC can be accessed online using the link below. The Nunavut Planning Commission (NPC) has completed its review of the above noted project proposal. It conforms to the North Baffin Regional Land Use Plan (NBRLUP). The proponent has undertaken to comply with the applicable conformity requirements of Appendix C, H, and I of the NBRLUP. The project proposal is exempt from screening by the Nunavut Impact Review Board (NIRB). The project proposal does not require screening because it belongs to a class of works or activities set out in Schedule 12-1 of the Nunavut Agreement, and the NPC does not have concerns regarding the cumulative impacts of the project proposal.

By way of this letter, the NPC is forwarding the project proposal to the regulatory authorities identified by the proponent. Project materials, including the applicable conformity requirements, are available at the following address:

http://npc.strata360.com/portal/project-dashboard.php?appid=148587&sessionid=

The regulatory authorities to which this letter is addressed are responsible under the Nunavut Planning and Project Assessment Act (NUPPAA) to implement any of the applicable requirements by incorporating the requirements directly, or otherwise ensuring that they must be met, in the terms and conditions of any authorizations issued.

This conformity determination applies only to the above noted project proposal as submitted. Proponents may not carry out projects and regulatory authorities may not issue licenses, permits and other authorizations in respect of projects if a review by the NPC is required. Regulatory authorities may consult with the NPC to obtain recommendations on their duties to implement the existing land use plans prior to issuing licenses, permits and other authorizations under subsection 69(6) of the NUPPAA.

My office would be pleased to discuss how best to implement the applicable requirements and to review any draft authorizations that regulatory authorities wish to provide for that purpose. If you have any questions, please do not hesitate to contact me at (867) 979-3444.

Sincerely,

Goump Djalogue

Senior Planner, MCIP, RPP

Sound Balogue

Nunavut Planning Commission