

NWB Annual Report

Year being reported:

Select ▼

License No: 8WLC-IHA1718

Issued Date: June 5, 2018

Expiry Date: June 4, 2018

Project Name: Supplemental Phase II ESA

Licensee: Stantec Consulting Ltd.

Mailing Address: 400-1331 Clyde Ave Ottawa ON K2C 3G4

Name of Company filing Annual Report (if different from Name of Licensee please clarify relationship between the two entities, if applicable):

General Background Information on the Project (*optional):

Licence Requirements: the licensee must provide the following information in accordance with

Part B ▼

Select ▼

A summary report of water use and waste disposal activities, including, but not limited to: methods of obtaining water; sewage and greywater management; drill waste management; solid and hazardous waste management.

Water Source(s):	Un-named melt water pool	
Water Quantity:	2	Quantity Allowable Domestic (cu.m)
	>2	Actual Quantity Used Domestic (cu.m)
	n/a	Quantity Allowable Drilling (cu.m)
	n/a	Total Quantity Used Drilling (cu.m)

Waste Management and/or Disposal

- ☐ Solid Waste Disposal
☐ Sewage
☐ Drill Waste
☒ Greywater
☐ Hazardous
☐ Other:

Additional Details:

water was used for showering and dish washing purposes only. Potable water was used for drinking and cooking. Showers were held to a minimum.

A list of unauthorized discharges and a summary of follow-up actions taken.

Spill No.: (as reported to the Spill Hot-line)

Date of Spill:

Date of Notification to an Inspector:

Additional Details: (impacts to water, mitigation measures, short/long term monitoring, etc)

No spills occurred during the 10 days on site

Revisions to the Spill Contingency Plan

No Spill Contingency Plan (SCP) submitted or approved

Additional Details:

Revisions to the Abandonment and Restoration Plan

No Abandonment and Restoration (AR) Plan submitted or approved

Additional Details:

Progressive Reclamation Work Undertaken

Additional Details (i.e., work completed and future works proposed)

Conducted an environmental site assessment. Collected soil and water samples by hand digging testpits/surface water sample by hand.

Results of the Monitoring Program including:

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where sources of water are utilized;

Details described below

Additional Details:

Coordinates of the melt water pool: 78d47'22"N, 103d34'16"W

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where wastes associated with the licence are deposited;

Details described below

Additional Details:

Coordinates of the greywater sump: 78d47'22"N, 103d34'07"W

Results of any additional sampling and/or analysis that was requested by an Inspector

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (date of request, analysis of results, data attached, etc)

Any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (Attached or provided below)

Any responses or follow-up actions on inspection/compliance reports

Select ▼

Additional Details: (Dates of Report, Follow-up by the Licensee)

Any additional comments or information for the Board to consider

Project comprized of 9 people for 10 days. No heavy equipment was required to implement environemntal site assessment.

Date Submitted:

March 11, 2019

Submitted/Prepared by:

Chris Bowie

Contact Information:

Tel: 613-784-2221

Fax: 613-722-2799

email: chris.bowie@stantec.com

GPS Coordinates for water sources utilized

[illegible]

GPS Locations of areas of waste disposal

[illegible]



