

NWB Annual Report

Year being reported:

2014 ▼

License No: 8WLC-NWT1415

Issued Date: June 3, 2014

Expiry Date: June 2, 2015

Project Name: Northern Watch Technology Demonstration Project

Licensee: Defence Research and Development Canada - Atlantic

Mailing Address: 9 Grove Street, PO Box 1012
 Dartmouth, NS
 B2Y 3Z7
 Attn: Bruce Grychowski

Name of Company filing Annual Report (if different from Name of Licensee please clarify relationship between the two entities, if applicable):

Tamara Van Dyck - Defence Construction Canada
 180 Kent Street, 14th floor, Ottawa ON K1P 0B6

General Background Information on the Project (*optional):

The DRDC Northern Watch Technology Demonstration Project will demonstrate an Arctic maritime surveillance capability to the Department of National Defence and other concerned federal departments. This is a multi-year undertaking and is based at Gascoyne Inlet.

Licence Requirements: the licensee must provide the following information in accordance with

Select ▼

Select ▼

A summary report of water use and waste disposal activities, including, but not limited to: methods of obtaining water; sewage and greywater management; drill waste management; solid and hazardous waste management.

Water Source(s): melt water stream

Water Quantity:

5

0

Quantity Allowable Domestic (cu.m)

Actual Quantity Used Domestic (cu.m)

Quantity Allowable Drilling (cu.m)

Total Quantity Used Drilling (cu.m)

Waste Management and/or Disposal

- ☐ Solid Waste Disposal
☐ Sewage
☐ Drill Waste
☐ Greywater
☐ Hazardous
☐ Other:

Additional Details:

The DRDC team was only on site for half a day in the 2014 field season, no waste was managed or disposed of.

A list of unauthorized discharges and a summary of follow-up actions taken.

Spill No.: (as reported to the Spill Hot-line)

Date of Spill: Date of Notification to an Inspector:

Additional Details: (impacts to water, mitigation measures, short/long term monitoring, etc)

No impacts to water, all impacted soil has been removed.
 NT-NU Spill Report attached, Water Licence Inspection report attached, follow up - Report of fuel assessment and corrective actions attached.

Revisions to the Spill Contingency Plan

SCP submitted and approved - no revision required or proposed



Additional Details:

N/A

Revisions to the Abandonment and Restoration Plan

AR plan submitted and approved - no revision required or proposed



Additional Details:

N/A

Progressive Reclamation Work Undertaken

Additional Details (i.e., work completed and future works proposed)

N/A

Results of the Monitoring Program including:

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where sources of water are utilized;

Not Applicable (N/A)



Additional Details:

The DRDC team was only on site for half a day in the 2014 field season, no water was taken in 2014

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where wastes associated with the licence are deposited;

Not Applicable (N/A)



Additional Details:

The DRDC team was only on site for half a day in the 2014 field season, no waste was deposited

Results of any additional sampling and/or analysis that was requested by an Inspector

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (date of request, analysis of results, data attached, etc)

N/A

Any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (Attached or provided below)

N/A

Any responses or follow-up actions on inspection/compliance reports

Inspection Report received by the Licensee (Date): ▼

Additional Details: (Dates of Report, Follow-up by the Licensee)

July 9, 2014 Inspection Report received (attached)

Any additional comments or information for the Board to consider

Date Submitted:

March 11, 2015

Submitted/Prepared by:

Tamara Van Dyck, Defence Construction Canada

Contact Information:

Tel: 613-995-9741

Fax:

email: Tamara.VanDyck@dcc-cdc.gc.ca