



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

8WLC-NWT2627 – Approval for the Use of Waters and Deposit of Waste Without a Licence

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: "Patrick.Sangster2@forces.gc.ca" <patrick.sangster2@forces.gc.ca>
Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Fri, Jun 19, 2026 at 9:50 AM

Good morning,

Please find attached the 8WLC-NWT2627 – Approval for the Use of Waters and Deposit of Waste Without a Licence.

Regards,

Richard



Richard Dwyer - ᓇᓇᓇᓇ ᓇᓇᓇᓇ - he\him\his

Manager of Licensing- Responsable des permis
ᓇᓇᓇᓇ ᓇᓇᓇᓇᓇᓇᓇᓇ Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓇᓇᓇᓇ ᓇᓇᓇᓇᓇᓇᓇᓇᓇᓇ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᓇᓇᓇᓇᓇᓇ 119
ᓇᓇᓇᓇᓇᓇᓇᓇᓇᓇ X0B 1J0

Titigaqavua 119
Uqimutimiq, NU, X0B 1J0

Tel / Téléphone / ᓇᓇᓇᓇᓇᓇ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓇᓇᓇᓇᓇᓇ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᓇᓇᓇᓇᓇᓇᓇᓇᓇᓇ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

260619 8WLC-NWT2627 Approval WL OAJE.pdf
340K