



- [illegible]

[illegible]

- [illegible]

[illegible][illegible]

[illegible][illegible][illegible]


[illegible]

- ልዩነቱ የሚገኝበት ሃይማኖት ሲሆንም፣ ስለሰው መብትና ስለሰው አዋጅ በሀገር ውስጥ ተፈጻሚ እንዲሆን ያስችልዋል።

[illegible][illegible]

မင်း အများဆုံး: မင်း မင်း ဖွဲ့စည်းပုံ အခြေခံ ဥပဒေ

- <ጋርፊ ነብያት Patrick Jagielski (ናይዲስካንተሪክ ምእራባውያን፡፡ ምእራባዊ መንፈስ ቅዱስ ዘመልአዊ)፡

[illegible][illegible]

ደወኔ ማሞከሪያውን ርዕሰ ልማት ደወኔ
ገረግረሰ ማረፊያውን




Figure 1 is a scatter plot with error bars showing the monthly variation of time spent diving per day (hr) for the 100 most active divers. The y-axis is labeled 'Time diving per day (hr)' and ranges from 0 to 6. The x-axis is labeled 'Month' and ranges from Aug to Jul. The data points are black dots with vertical error bars representing 95% confidence intervals. The plot shows a seasonal trend with a minimum in September and a maximum in April.

Month	Time diving per day (hr)
Aug	2.8
Sep	1.6
Oct	1.7
Nov	1.8
Dec	2.4
Jan	3.8
Feb	4.8
Mar	4.6
Apr	5.2
May	5.0
Jun	4.8
Jul	3.0

ከመገኘቱ በፊት በጥቅምት 31ኛው ቀን 2017 ሰዎች 100 ሺህ በጥቅምት 31ኛው ቀን 2018 ሰዎች 100 ሺህ ነበሩ።



၁။ ဖွဲ့စည်းပုံအခြေခံဥပဒေနှင့်အညီ ပြည်ထောင်စုအတွင်း နယ်စပ်ဒေသများတွင် နယ်စပ်ဒေသများတွင် နယ်စပ်ဒေသများတွင်

[illegible][illegible][illegible]

[illegible]

8

A box plot showing the maximum distance (km) traveled by birds during different breeding stages (Incubation and Chick-rearing) across various days of the year (198 to 219). The y-axis represents the maximum distance in kilometers, ranging from 0 to 300. The x-axis represents the day of the year. The legend indicates that teal boxes represent the Incubation stage and red boxes represent the Chick-rearing stage. The plot shows that during the incubation stage, maximum distances are generally higher, peaking around day 203, and then decreasing. During the chick-rearing stage, maximum distances are generally lower, peaking around day 218.

