



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

150505 8WLC-PCO1516 New Application for Approval

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Tue, May 5, 2015 at 4:44 PM

To: Paul Allen Smith <paulallen.smith@ec.gc.ca>, Christine Eberl <christine.eberl@ec.gc.ca>

Cc: Sonia Aredes <sonia.aredes@nwb-oen.ca>

Please see attached regarding your recent submission for an approval without licence. Administratively the file is complete and has been forwarded to the technical advisor on the file for a review and issue of approval.

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᐸᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ - Maniayuyuk Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.caP.O. Box 119
Gjoa Haven, NU, X0B 1J0C.P. 119
Gjoa Haven (Nunavut), X0B 1J0ᐱᕐᕐᕐᐸᕐᕐ 119
ᐱᕐᕐᕐᐸᕐᕐ X0B 1J0Titigaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐸᕐᕐᕐᕐ / Hivayaut: (867) 360-6338 | Fax / Télécopieur / ᐸᕐᕐᕐᕐ / Fax-kut: (867) 360-6369

Toll Free / Sans Frais / ᐱᕐᕐᕐᕐᕐᕐ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

**150505 8WLC-PCO1516 WL Admin Complete-OMLE.pdf**

136K