



**Marine habitat use of Thick Billed Murres nesting at Cape Graham Moore, Nunavut Environment Climate Change Canada
Approval 8WLC-TBM2324**

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Tue, Jul 18, 2023 at 8:54 AM

To: "Gilchrist,Grant (ECCC)" <Grant.Gilchrist@ec.gc.ca>, "Roach-Krajewski,Maisy (elle, la | she, her) (ECCC)" <Maisy.Roach-Krajewski@ec.gc.ca>

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good morning,

Please find attached approval 8WLC-TBM2324.

Regards,

Richard



Richard Dwyer - ʀɪˈtʃəd ˈdwaɪə - he\him\his

Manager of Licensing- Responsable des permis

ᐃᑦᓴᓂᐱ ᐅᐸᓂᐳᓄᐱ Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᑦ ᐃᓚᓕᓂᓴᑦ ᑲᓚᓴᓴᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၆-၁၇ ၁၁၉

Titigaqavua 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / འཇམ་དཔལ་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / འཇམ་ལྷ་དཔལ་ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᑭᑦᑐᑦᐸᑦ / Akiittuq: 1-855-521-3745

WARNING: This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



230718 8WLC-TBM2324 Approval OAKE.pdf
388K