



I. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Identification of the preparation

Product Name:	"Fire Extinguisher ABC Multipurpose Dry Chemical"
	"Fire Extinguisher Powder ABC Multipurpose"
Chemical Name:	N/A – This is a mixture/preparation.
CAS No.:	N/A – This is a mixture/preparation.
Chemical Formula:	N/A – This is a mixture/preparation.
EINECS Number:	N/A – This is a mixture/preparation.

1.2. Use of the preparation

The intended or recommended use of this preparation is as a FIRE EXTINGUISHING AGENT.

1.3. Company identification

Manufacturer/Supplier:	Pyro-Chem
Address:	One Stanton Street, Marinette, WI 54143-2542
Prepared by:	Safety and Health Department
Phone:	715-732-3465
Internet/Home Page:	http://www.pyrochem.com
Date of Issue:	September, 2006

1.4. Emergency telephone

CHEMTREC 800-424-9300 or 703-527-3887.

2. COMPOSITION/INFORMATION ON INGREDIENTS

- | | |
|------------------------|--|
| 2.1. Ingredient Name: | Monoammonium Phosphate. |
| Chemical Formula: | $\text{NH}_4\text{H}_2\text{PO}_4$. |
| CAS No.: | 7722-76-1. |
| EINECS Number: | 231-764-5. |
| Concentration, Wt %: | 50-80 %. |
| Hazard Identification: | See Heading 3. |
| Ingredient Name: | Ammonium sulfate |
| Chemical Formula: | $(\text{NH}_4)_2\text{SO}_4$. |
| CAS No.: | 7783-20-2. |
| EINECS Number: | 231-984-1. |
| Concentration, Wt %: | 20-45 %. |
| Hazard Identification: | See Heading 3. |
| Ingredient Name: | Magnesium Aluminum Silicate (Attapulgite Clay or Fuller's Earth) |
| Chemical Formula: | $\text{Mg}_x\text{Al}_y(\text{SiO}_4)_z$. |
| CAS No.: | 8031-18-3. |
| EINECS Number: | (a). |
| Concentration, Wt %: | 1-5 %. |
| Hazard Identification: | See Heading 3. |
| Ingredient Name: | Tricalcium Phosphate |
| | (Pentacalcium Hydroxide Tris(orthophosphate)). |
| Chemical Formula: | $\text{Ca}_5(\text{OH})(\text{PO}_4)_3$. |
| CAS No.: | 12167-74-7. |
| EINECS Number: | 235-330-6. |
| Concentration, Wt %: | 1-5 %. |
| Hazard Identification: | See Heading 3. |
| Ingredient Name: | Silica Gel. |
| Chemical Formula: | $-\text{[OSi(O)]-(H}_2\text{O)}_x$. |
| CAS No.: | 112926-00-8. |
| EINECS Number: | (b). |
| Concentration, Wt %: | 0-3 %. |
| Hazard Identification: | See Heading 3. |
| Ingredient Name: | Methyl Hydrogen Polysiloxane. |
| Chemical Formula: | Mixture/preparation. |
| CAS No.: | 63148-57-2. |
| EINECS Number: | (b). |
| Concentration, Wt %: | 0-1 %. |

Hazard Identification: See Heading 3.

Ingredient Name: Yellow Pigment

Chemical Formula: $C_{34}H_{30}Cl_2N_6O_4$.

CAS No.: 5468-75-7.

EINECS Number: 226-789-3

Concentration, Wt %: <1 %.

Hazard Identification: See Heading 3.

Fire Extinguishers contain compressed air to ensure a high velocity discharge of product.

(a) EINECS does not include most naturally occurring raw materials. See: 67/548/EEC, article 13; 79/831/EC; and 81/437/EC.

(b) EINECS does not include synthetic polymers (These are registered in EINECS under their building blocks, monomers.). See: 67/548/EEC, article 13; 79/831/EC; and 81/437/EC.

NOTE: Unless a component presents a severe hazard, it does not need to be considered in the MSDS if the concentration is less than 1%. [According to Directive 1999/45/EC.]

3. HAZARDS IDENTIFICATION

FOR HUMANS:

Product:

EU Classification:		Harmful.
R Phrases:	22	Harmful if swallowed.
	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

Components:

Monoammonium Phosphate:

EU Classification:		Harmful.
R Phrases:	22	Harmful if swallowed.
	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

Ammonium sulfate:

EU Classification:		Irritant.
R Phrases:	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

Limit Values for Exposure:

Nuisance dust limit:

OSHA TWA:	15 mg/m ³
ACGIH TLV-TWA	10 mg/m ³

Neither this preparation nor the substances contained in it have been listed as carcinogenic by National Toxicology Program, I.A.R.C., or OSHA.

Silica Gel is a Synthetic Amorphous Silica which is considered a nuisance dust and no medical conditions are abnormally aggravated by this product.

AS PART OF GOOD INDUSTRIAL AND PERSONAL HYGIENE AND SAFETY PROCEDURE, avoid all unnecessary exposure to the chemical substance and ensure prompt removal from skin, eyes, and clothing.

SIGNS AND SYMPTOMS:

Acute Exposure:

Eye Contact:	Mildly irritating for short periods of time.
Skin Contact:	May be mildly irritating.
Inhalation:	Treat as a mineral dust. Irritant to the respiratory tract. Transient cough, and shortness of breath may occur.
Ingestion:	Not an expected route of entry.

Chronic Overexposure:

Inhalation:	Chronic fibrosis of the lung, pneumoconiosis.
-------------	---

Medical Conditions Generally Aggravated by Exposure: None known.

FOR ENVIRONMENT:

No data available.

4. FIRST AID MEASURES

Eye Contact:	Wash with water for a minimum of 15 minutes. If irritation persists seek medical attention.
Skin Contact:	Wash affected area with soap and water. If irritation persists seek medical attention.
Inhalation:	Remove from exposure. If irritation persists seek medical attention.
Ingestion:	If patient is conscious, give large amounts of water and induce vomiting. Seek medical help.

5. FIRE-FIGHTING MEASURES

This preparation is an extinguishing media.
There are NO extinguishing media which must not be used for safety reasons.
NO special protective equipment is needed for fire-fighters.

6. ACCIDENTAL RELEASE MEASURES

For personal protection: Prevent skin and eye contact, see Heading 8.
Clean up: Sweep up and recover for use or place in closed container for disposal, see Heading 13.
NO harm to the environment is expected from an accidental release of this preparation.

7. HANDLING AND STORAGE

7.1. Handling

Care should be taken in handling all chemical substances and preparations.
See incompatibility information in Heading 10.

7.2. Storage

NO special conditions are needed for safe storage.
See incompatibility information in Heading 10.
Store in original container or Pyro-Chem fire extinguisher. Keep tightly closed until used.
There is minimal danger to the environment from a storage release.

7.3. Specific use

The intended or recommended use of this preparation is as a FIRE EXTINGUISHING AGENT.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Exposure limit values

Nuisance dust limit:	
OSHA TWA:	15 mg/m ³
ACGIH TLV-TWA:	10 mg/m ³ .

8.2. Exposure controls

8.2.1. Occupational exposure controls

8.2.1.1. Respiratory protection

Dust mask where dustiness is prevalent, or TLV is exceeded. Use mechanical filter respirator if exposure is prolonged.

8.2.1.2. Hand protection

None normally needed. Use chemical resistant gloves when handling the preparation.

8.2.1.3. Eye protection

Use safety glasses with side shields or safety goggles as mechanical barrier for prolonged exposure.

8.2.1.4. Skin protection

No special equipment is needed.

8.2.2. Environmental exposure controls

No special controls are needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. General information

Appearance: Yellow Crystal.
Odor: None.

9.2. Important health, safety, and environmental information

pH: 4.5 as 1% solution in water.
Boiling point/boiling range: Not applicable.
Flash point: None.
Flammability (solid/gas): Not flammable.
Explosive properties: Not explosive.
Oxidizing properties: Not an oxidizer.
Vapor Pressure: Not applicable.
Relative Density: Not applicable.
Solubility:
– Water solubility: 38 g/ 100 mL.
Tricalcium Phosphate: <1 g/L at 25 °C.
– Fat solubility: Not soluble.
Partition coefficient,
n-octanol/water: Not determined.
Viscosity: Not applicable.
Vapor density (Air = 1): Not applicable.
Evaporation rate: Not applicable.

9.3. Other information

Auto-ignition temperature: Does not ignite.

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

There are NO known conditions such as temperature, pressure, light, shock, etc., which may cause a dangerous reaction.

10.2. Materials to avoid

Strong alkalis, magnesium.

10.3. Hazardous decomposition products

Normally stable.
Hazardous polymerization will NOT occur.
Ammonia and/or phosphorous oxides can be evolved at very high temperatures.

11. TOXICOLOGICAL INFORMATION

This product has not been tested for toxicological effects. Product is treated as a nuisance dust.

Components:**Monoammonium Phosphate:**

Material is irritating.
Harmful if swallowed.

Ammonium sulfate:

Toxicity Data: Oral (rat) LD 50 2840 mg/kg.
Target Organs: Lungs and gastrointestinal.

Tricalcium Phosphate:

Eye irritation: Not irritating.
Skin irritation: Not irritating.

Silica Gel:

Toxicity Data: Oral (rat) LD 50 >4500 mg/kg.
Toxicity Data: Inhalation (rat) LC 50 >2 mg/hr.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

Not determined.

12.2. Mobility

Not determined.

12.3. Persistence and degradability

Not relevant.

12.4. Bioaccumulative potential

Not determined.

12.5. Other adverse effects

Ozone depletion potential: None.

Photochemical ozone creation potential: None

Global warming potential: None

13. DISPOSAL CONSIDERATIONS

No harm to the environment is expected from this preparation.

Dispose of in compliance with national, regional, and local provisions that may be in force.

14. TRANSPORT INFORMATION

Hazard Class or Division: Fire Extinguisher, Class 2.2.
UN No. 1044.

For additional transport information, contact Pyro-Chem.

No harm to the environment is expected from this preparation.

15. REGULATORY INFORMATION

Product:

EU Classification:

R Phrases:

22

36/37/38

S Phrases:

26

36

Harmful.

Harmful if swallowed.

Irritating to eyes, respiratory system, and skin.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing.

Limit Values for Exposure:

Nuisance dust limit:

OSHA TWA: 15 mg/m³ACGIH TLV-TWA: 10 mg/m³.

EINECS Status: All components are included in EINECS inventories or are exempt from listing.

EPA TSCA Status: All components are included in TSCA inventories or are exempt from listing.

Canadian DSL (Domestic Substances List): All components are included in the DSL or are exempt from listing.

Environmental restrictions: None are known.

Restrictions on Marketing and Use: None are known.

Refer to any other national measures that may be relevant.

16. OTHER INFORMATION

(HMIS) HAZARDOUS MATERIAL IDENTIFICATION SYSTEM RATINGS:

HEALTH:	<u>1</u>	4. Severe Hazard
FLAMMABILITY:	<u>0</u>	3. Serious Hazard
REACTIVITY:	<u>0</u>	2. Moderate Hazard
		1. Slight Hazard
		0. Minimal Hazard

(WHMIS) CANADIAN WORKPLACE HAZARDOUS MATERIAL IDENTIFICATION SYSTEM RATINGS:

This product is rated **D2B Harmful if swallowed. Irritating to eyes and skin.**
A Fire Extinguisher charged with Air is rated **A Compressed Gas.**

Format is from directive 2001/58/EC.

EINECS data is from <http://exb.jrc.it/existing-chemicals/>

Data used to compile the data sheet is from Pyro-Chem Material Safety Data Sheet, January, 2002.

Toxicological information added from the EINECS ESIS (Existing Substances Information System). A rating under WHMIS has been added, following the Canadian guidelines.

17. DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT, BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. PYRO-CHEM SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.

N/A = Not Applicable

NDA = No Data Available